

4. **OPEN:** Is an area where there are no obstacles such as tall trees or buildings in the propagation path or a plot of land that is cleared of anything for 300 to 400 meters ahead. This would include farm land, open fields, etc.

5.4 ANNEXATIONS AND OTHER EXPANSIONS

It is well known that as cities grow, annexations occur. When an expansion of the present city limits of any city currently using an 800 megahertz system within the spectrum as herein specified occurs, it is understood that the existing system may have to be expanded and its range increased. This is a modification and may be permitted. The increased range of the system will have to be determined at the time of modification to assure non-interference with any other existing system. Where interference is likely, the use of alternate methods of expansion, such as satellite systems or "smart" repeaters may be necessary.

Should the annexation or expansion of a city effectively take in all or most of a county, the allocation for that county may be given to the city if required by said city and not in use or planned to be used by the county. Where more spectrum is not available from the initial allocation, the rules for expansion of initial allocation, as contained in this plan, shall apply.

5.5 COVERAGE AREA DESCRIPTION

All applicants shall provide with their applications a map showing the jurisdictional boundaries to be covered by the system, and the calculated system coverage. This map shall display the location of the system transmitter(s), including controlstations. It is recommended that a U.S. Geological Survey (USGS) Quad, topographical, map may be used for this purpose. If not available, a high quality locally produced map or a highway map be substituted. Regardless of the type map used, the name of the applicant and the scale of the map shall be displayed on the map.

The attached table (APPENDIX D) lists the field strength in dB/KW versus distance and antenna height for the suburban environment. The adjustment factors for the other environments relative to the suburban environment are:

Urban = Suburban - 9.7dB
Quasi-Open = Suburban + 9.2dB
Open = Suburban + 18.4dB

5.6 CONTROL STATIONS

Control stations within a system shall be limited in both transmit power, antenna height and antenna orientation. The control station design shall be such that the received signal strength at the mobile relay is approximately 6 dB above the signal of a mobile unit transmitting from the same location of the control station.

As with other stationary elements of a system, the location of all control stations shall be given, by street address, latitude and longitude. Ground elevation, antenna height, transmitter power and antenna type and orientation shall be given.

6.0 FREQUENCY ALLOCATION PROCESS

The method used for "packing" Region 10 was the APCO/CET computerized method. The program "circlized" each county to cover the county boundaries and included the environmental condition of the considered county. Along with this information, the APCO/CET program considered adjacent state allocations already approved by the FCC.

~~The actual assignment of frequencies is for 3 channel pairs per county.~~ This allocation is the minimum and only applies to counties with a population of 25,000 or less. These allocations are reflected in the following tables and maps. This type of assignment ~~leaves a reserve pool of channels for future assignment.~~ All allocations above the initial allocation were based, primarily, on population, as well as on the loading criteria as presented earlier in this plan. Where possible, one additional channel was considered for each 25,000 population more than 25,000

within an area, just as in the initial allocation. If an assigned channel cannot be used due to adjacent Region activity, un-used channels from surrounding counties may be used, following review and selection by the Regional Review Committee.

6.1 FREQUENCY SORTING METHODOLOGY

This initial spectrum allocation for the Region was determined by a computerized frequency sorting process performed by APCO/CET. The purpose of the computer program that assigns frequencies to specific eligibles and to pools for future assignments is two-fold:

- a. The assignments must result in a high degree of spectrum efficiency, and
- b. The assignments must result in a low probability of co-channel and adjacent channel interference.

Since the desired output is a geographic sorting of frequencies, a method of defining geography must be part of the input. A list of the number of channels to be assigned in each geographic area is also required, along with the name of the eligible or pool.

6.1.1 GEOGRAPHIC AREA

For this frequency sort, a geographic area is defined as one or more circles of equal radius. To the degree practical, the circle(s) should include the entire area of the eligible's geopolitical boundary, but not exceed the boundary by more than three (3) miles. Thus, the procedure is to gather maps of sufficient detail, outline the areas to be defined, determine the coordinates and radius of the circles that define each area, and tabulate the data.

6.1.2 DEFINE THE ENVIRONMENT

The environment of each system is defined according to the Okumura/Hata method of classifications. See page 19.

6.1.3 BLOCKED CHANNELS

In the Region there are five mutual aid channels that must be blocked out to prevent the computer from making assignments on these channels. (Since the mutual aid channels are spaced at 0.5 MHz intervals, other Region-wide systems are spaced at 0.5 MHz and placed adjacent to the mutual aid channels. This procedure reduces the impact of blocked adjacent channels because the channel plan already has protection spacing on each site of the mutual aid channels.)

These Region-wide blocked channels are identified by FCC channel number, tabulated and they become input to the computer program.

6.1.4 TRANSMITTER COMBINING

The computer program is designed to provide a minimum frequency separation between any two channels assigned to be same eligible at the same site. This separation is provided to enable more efficient combining of multiple transmitters to a single antenna. These separated blocks of frequencies also have a maximum size. That is, if the eligible has more frequencies than the maximum size of the combining block, then a second compatible block is created, and so on. Each of these parameters is adjustable in the program on a global basis. The default parameters chosen are 0.25 MHz minimum spacing and five channel blocks.

6.1.5 SPECIAL CONSIDERATIONS

There are licensees in the 806-821/852-866 MHz spectrum who plan to expand existing systems into the 821-824/866-869 MHz bands. Some of the existing radio units are unable to operate on 12.5 KHz separated carrier frequencies. The result is that these radios can only operate on "even" FCC numbered channels in the 821-824/866-869 MHz band. The computer program is able to take this into account when making assignments.

6.1.6 PROTECTION RATIOS

There are two interference protection ratios built into the computer program. One is for the co-channel case, the other is for the adjacent channel case. The ratios provide 35 dB Desired/Undesired signal ratio for co-channel assignments, and 15 dB Desired/Undesired ratio for the adjacent channel case. These ratios provide an acceptable probability of interference for Public Safety Services.

6.1.7 ADJACENT REGION CONSIDERATION

The computer program requires a listing of channels to be blocked along the borderline with other regions that have pre-existing plans. If the adjacent region plan was developed using the APCO/CET packing program, this information exists in the database. If the adjacent region plan was developed by another method, then the data must be obtained from the adjacent region's plan in order to build the exclusion list.

6.2

FREQUENCY ALLOCATION MAP

Below is the data, or packing plan generated by APCO/CET via the computerized packing program. The first section is county by county information provided, followed by the packing plan. The plan took adjacent regions into consideration, in addition, letters of concurrence were sent. (APPENDIX E).

FREQUENCY ALLOCATION INPUT DATA

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
APPLING	31 42 32	82 19 58	3	7.00	-25.50	100.00	4
APPLING	31 35 7	82 12 2	3	7.00	-25.50	100.00	4
APPLING	31 51 53	82 20 24	3	7.00	-25.50	100.00	4
APPLING	31 48 42	82 12 15	3	7.00	-25.50	100.00	4
APPLING	31 45 42	82 26 2	3	7.00	-25.50	100.00	4
APPLING	31 42 11	82 14 46	3	7.00	-25.50	100.00	4
ATKINSON	31 16 36	82 53 21	3	7.00	-25.50	100.00	4
ATKINSON	31 16 36	82 57 6	3	7.00	-25.50	100.00	4
ATKINSON	31 18 54	82 53 23	3	7.00	-25.50	100.00	4
ATKINSON	31 19 36	83 0 53	3	7.00	-25.50	100.00	4
ATKINSON	31 16 36	82 43 58	3	7.00	-25.50	100.00	4
ATLANTA	33 44 53	84 23 27	15	8.00	-1.70	200.00	1
BACON	31 33 22	82 30 9	3	7.00	-25.50	100.00	4
BACON	31 31 57	82 21 34	3	7.00	-25.50	100.00	4
BACON	31 30 53	82 26 3	3	7.00	-25.50	100.00	4
BACON	31 36 53	82 30 60	3	7.00	-25.50	100.00	4
BAKER	31 24 12	84 14 32	3	5.00	-30.00	100.00	4
BAKER	31 14 46	84 27 37	3	5.00	-30.00	100.00	4
BAKER	31 22 8	84 22 1	3	5.00	-30.00	100.00	4
BAKER	31 17 43	84 24 28	3	5.00	-30.00	100.00	4
BAKER	31 22 8	84 33 53	3	5.00	-30.00	100.00	4
BAKER	31 22 43	84 28 18	3	5.00	-30.00	100.00	4
BAKER	31 19 11	84 33 53	3	5.00	-30.00	100.00	4
BAKER	31 9 28	84 30 45	3	5.00	-30.00	100.00	4
BALDWIN	33 7 10	83 16 21	5	5.00	-11.60	100.00	2
BALDWIN	33 0 41	83 6 40	5	5.00	-11.60	100.00	2
BALDWIN	33 5 54	83 11 10	5	5.00	-11.60	100.00	2
BALDWIN	33 0 7	83 19 22	5	5.00	-11.60	100.00	2
BALDWIN	33 2 56	83 13 21	5	5.00	-11.60	100.00	2
BALDWIN	33 7 10	83 20 52	5	5.00	-11.60	100.00	2
BANKS	34 25 11	83 31 18	3	5.00	-30.00	100.00	4
BANKS	34 24 15	83 27 47	3	5.00	-30.00	100.00	4
BANKS	34 19 5	83 31 42	3	5.00	-30.00	100.00	4
BANKS	34 16 29	83 24 3	3	5.00	-30.00	100.00	4
BANKS	34 21 40	83 35 3	3	5.00	-30.00	100.00	4
BARROW	33 58 51	83 37 46	3	5.00	-30.00	100.00	4
BARROW	34 1 39	83 47 30	3	5.00	-30.00	100.00	4
BARROW	33 58 7	83 43 51	3	5.00	-30.00	100.00	4
BARTOW	34 17 40	84 53 54	3	8.00	-23.60	100.00	4
BARTOW	34 17 57	84 46 26	3	8.00	-23.60	100.00	4
BARTOW	34 11 3	84 55 49	3	8.00	-23.60	100.00	4
BARTOW	34 11 3	84 46 26	3	8.00	-23.60	100.00	4
BEN HILL	31 48 31	83 23 54	3	5.00	-30.00	100.00	4
BEN HILL	31 45 0	83 9 34	3	5.00	-30.00	100.00	4
BEN HILL	31 43 4	83 14 33	3	5.00	-30.00	100.00	4
BEN HILL	31 46 46	83 12 40	3	5.00	-30.00	100.00	4
BEN HILL	31 47 28	83 18 17	3	5.00	-30.00	100.00	4
BEN HILL	31 44 7	83 3 57	3	5.00	-30.00	100.00	4
BERRIEN	31 16 54	83 8 10	3	6.00	-27.40	100.00	4
BERRIEN	31 12 30	83 14 58	3	6.00	-27.40	100.00	4
BERRIEN	31 6 37	83 14 15	3	6.00	-27.40	100.00	4
BERRIEN	31 19 42	83 20 21	3	6.00	-27.40	100.00	4
BERRIEN	31 12 30	83 8 10	3	6.00	-27.40	100.00	4
BERRIEN	31 23 13	83 17 33	3	6.00	-27.40	100.00	4
BERRIEN	31 23 13	83 12 51	3	6.00	-27.40	100.00	4
BIBB	32 52 26	83 43 46	6	5.00	-11.60	100.00	2
BIBB	32 49 15	83 48 13	6	5.00	-11.60	100.00	2
BIBB	32 44 33	83 39 27	6	5.00	-11.60	100.00	2
BIBB	32 46 54	83 44 28	6	5.00	-11.60	100.00	2
BIBB	32 49 1	83 35 0	6	5.00	-11.60	100.00	2
BLECKLEY	32 24 39	83 24 10	3	6.00	-27.40	100.00	4
BLECKLEY	32 22 36	83 21 45	3	6.00	-27.40	100.00	4
BLECKLEY	32 29 3	83 16 21	3	6.00	-27.40	100.00	4
BRANTLEY	31 6 44	82 6 41	3	7.00	-25.50	100.00	4
BRANTLEY	31 15 33	81 56 39	3	7.00	-25.50	100.00	4
BRANTLEY	31 8 51	81 55 36	3	7.00	-25.50	100.00	4
BRANTLEY	31 16 36	81 49 58	3	7.00	-25.50	100.00	4
BRANTLEY	31 10 15	82 9 48	3	7.00	-25.50	100.00	4
BRANTLEY	31 10 15	82 4 10	3	7.00	-25.50	100.00	4
BRONKS	30 51 12	83 32 6	3	6.00	-27.40	100.00	4
BRONKS	30 40 0	83 28 5	3	6.00	-27.40	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
BROOKS	30 50 19	83 39 10	3	6.00	-27.40	100.00	4
BROOKS	30 43 32	83 39 10	3	6.00	-27.40	100.00	4
BROOKS	30 57 41	83 39 10	3	6.00	-27.40	100.00	4
BROOKS	30 43 32	83 31 20	3	6.00	-27.40	100.00	4
BROOKS	30 51 12	83 26 37	3	6.00	-27.40	100.00	4
BROOKS	30 58 7	83 31 51	3	6.00	-27.40	100.00	4
BRYAN	31 50 60	81 13 51	3	5.00	-30.00	100.00	4
BRYAN	32 2 54	81 26 54	3	5.00	-30.00	100.00	4
BRYAN	31 54 5	81 19 5	3	5.00	-30.00	100.00	4
BRYAN	31 47 10	81 13 30	3	5.00	-30.00	100.00	4
BRYAN	32 1 52	81 32 17	3	5.00	-30.00	100.00	4
BRYAN	32 8 11	81 34 44	3	5.00	-30.00	100.00	4
BRYAN	32 7 10	81 40 60	3	5.00	-30.00	100.00	4
BRYAN	31 58 29	81 22 13	3	5.00	-30.00	100.00	4
BRYAN	32 9 31	81 28 48	3	5.00	-30.00	100.00	4
BULLOCH	32 20 27	81 49 2	3	8.00	-23.60	100.00	4
BULLOCH	32 32 12	81 52 47	3	8.00	-23.60	100.00	4
BULLOCH	32 18 6	81 35 15	3	8.00	-23.60	100.00	4
BULLOCH	32 16 55	81 42 46	3	8.00	-23.60	100.00	4
BULLOCH	32 29 23	81 47 47	3	8.00	-23.60	100.00	4
BULLOCH	32 26 20	81 40 16	3	8.00	-23.60	100.00	4
BURKE	33 10 57	81 51 56	3	6.00	-27.40	100.00	4
BURKE	33 3 9	81 40 27	3	6.00	-27.40	100.00	4
BURKE	33 5 4	81 47 14	3	6.00	-27.40	100.00	4
BURKE	33 0 30	81 45 51	3	6.00	-27.40	100.00	4
BURKE	33 0 30	82 1 30	3	6.00	-27.40	100.00	4
BURKE	32 53 1	82 12 38	3	6.00	-27.40	100.00	4
BURKE	33 6 14	82 11 4	3	6.00	-27.40	100.00	4
BURKE	32 58 27	82 9 20	3	6.00	-27.40	100.00	4
BURKE	33 9 46	82 0 37	3	6.00	-27.40	100.00	4
BURKE	33 0 30	81 55 15	3	6.00	-27.40	100.00	4
BURKE	33 5 21	81 59 3	3	6.00	-27.40	100.00	4
BURKE	33 0 22	82 11 4	3	6.00	-27.40	100.00	4
JURKE	33 12 42	82 10 1	3	6.00	-27.40	100.00	4
BUTTS	33 21 40	83 55 52	3	5.00	-30.00	100.00	4
BUTTS	33 15 30	84 2 29	3	5.00	-30.00	100.00	4
BUTTS	33 16 58	83 57 47	3	5.00	-30.00	100.00	4
BUTTS	33 15 12	83 52 44	3	5.00	-30.00	100.00	4
CALHOUN	31 31 51	84 43 20	3	7.00	-25.50	100.00	4
CALHOUN	31 31 51	84 32 22	3	7.00	-25.50	100.00	4
CALHOUN	31 31 51	84 38 38	3	7.00	-25.50	100.00	4
CAMDEN	30 51 2	81 32 0	3	10.00	-15.20	100.00	3
CAMDEN	30 58 26	81 36 24	3	10.00	-15.20	100.00	3
CAMDEN	30 53 20	81 44 58	3	10.00	-15.20	100.00	3
CAMDEN	31 0 33	81 46 25	3	10.00	-15.20	100.00	3
CANDLER	32 21 52	82 0 43	3	6.00	-27.40	100.00	4
CANDLER	32 28 12	82 4 4	3	6.00	-27.40	100.00	4
CANDLER	32 22 48	82 8 39	3	6.00	-27.40	100.00	4
CARROLL	33 29 36	84 59 36	3	5.00	-30.00	100.00	4
CARROLL	33 37 32	85 9 13	3	5.00	-30.00	100.00	4
CARROLL	33 31 31	84 54 54	3	5.00	-30.00	100.00	4
CARROLL	33 43 43	84 58 34	3	5.00	-30.00	100.00	4
CARROLL	33 33 34	85 4 32	3	5.00	-30.00	100.00	4
CARROLL	33 38 52	85 2 5	3	5.00	-30.00	100.00	4
CARROLL	33 29 36	85 13 41	3	5.00	-30.00	100.00	4
CARROLL	33 35 20	85 15 16	3	5.00	-30.00	100.00	4
CARROLL	33 29 36	85 5 52	3	5.00	-30.00	100.00	4
CARROLL	33 38 52	84 58 34	3	5.00	-30.00	100.00	4
CATOOSA	34 51 10	85 8 37	3	5.00	-30.00	100.00	4
CATOOSA	34 55 52	85 5 8	3	5.00	-30.00	100.00	4
CATOOSA	34 55 52	85 11 24	3	5.00	-30.00	100.00	4
CHARLTON	30 51 20	82 12 10	3	6.00	-27.40	100.00	4
CHARLTON	30 45 27	82 4 51	3	6.00	-27.40	100.00	4
CHARLTON	30 32 5	82 5 42	3	6.00	-27.40	100.00	4
CHARLTON	30 51 20	82 19 59	3	6.00	-27.40	100.00	4
CHARLTON	30 38 6	82 5 33	3	6.00	-27.40	100.00	4
CHARLTON	30 55 44	82 9 2	3	6.00	-27.40	100.00	4
CHARLTON	30 51 46	81 59 38	3	6.00	-27.40	100.00	4
CHARLTON	30 59 7	81 59 38	3	6.00	-27.40	100.00	4
CHARLTON	30 55 44	82 15 18	3	6.00	-27.40	100.00	4
CHARLTON	30 32 5	82 9 24	3	6.00	-27.40	100.00	4
CHARLTON	30 55 44	82 19 59	3	6.00	-27.40	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
CHARLTON	30 25 54	82 7 7	3	6.00	-27.40	100.00	4
CHATHAM	31 59 58	80 55 46	10	5.00	40.00	100.00	5
CHATHAM	31 54 49	81 6 12	10	5.00	40.00	100.00	5
CHATHAM	31 59 13	81 6 12	10	5.00	40.00	100.00	5
CHATHAM	31 47 28	81 6 12	10	5.00	40.00	100.00	5
CHATHAM	31 55 7	81 1 30	10	5.00	40.00	100.00	5
CHATHAM	32 10 6	81 11 16	10	5.00	40.00	100.00	5
CHATHAM	32 0 50	81 13 51	10	5.00	40.00	100.00	5
CHATHAM	32 2 36	81 2 54	10	5.00	40.00	100.00	5
CHATHAM	32 5 6	81 18 4	10	5.00	40.00	100.00	5
CHATHAM	31 57 28	81 12 49	10	5.00	40.00	100.00	5
CHATHAM	32 4 4	81 9 9	10	5.00	40.00	100.00	4
CHATTACHOOCHEE	32 21 17	84 49 13	3	5.00	-30.00	100.00	4
CHATTACHOOCHEE	32 17 8	84 51 6	3	5.00	-30.00	100.00	4
CHATTACHOOCHEE	32 21 17	84 44 11	3	5.00	-30.00	100.00	4
CHATTACHOOCHEE	32 27 55	84 41 47	3	5.00	-30.00	100.00	4
CHATTACHOOCHEE	32 17 45	84 44 11	3	5.00	-30.00	100.00	4
CHATTACHOOCHEE	32 20 24	84 55 11	3	5.00	-30.00	100.00	4
CHATTOOGA	34 22 39	85 24 56	3	6.00	-27.40	100.00	4
CHATTOOGA	34 30 44	85 24 54	3	6.00	-27.40	100.00	4
CHATTOOGA	34 30 44	85 13 57	3	6.00	-27.40	100.00	4
CHATTOOGA	34 27 22	85 20 14	3	6.00	-27.40	100.00	4
CHEROKEE	34 10 19	84 33 37	3	7.00	-25.50	100.00	4
CHEROKEE	34 10 19	84 28 41	3	7.00	-25.50	100.00	4
CHEROKEE	34 16 47	84 28 55	3	7.00	-25.50	100.00	4
CHEROKEE	34 18 59	84 34 19	3	7.00	-25.50	100.00	4
CHEROKEE	34 16 47	84 21 5	3	7.00	-25.50	100.00	4
CLARKE	33 57 49	83 26 27	5	5.00	-11.60	100.00	2
CLARKE	33 55 46	83 18 57	5	5.00	-11.60	100.00	2
CLARKE	33 58 42	83 22 5	5	5.00	-11.60	100.00	2
CLAY	31 42 22	85 2 2	3	6.00	-27.40	100.00	4
CLAY	31 37 4	85 0 9	3	6.00	-27.40	100.00	4
CLAY	31 33 32	84 54 30	3	6.00	-27.40	100.00	4
CLAY	31 33 32	84 58 16	3	6.00	-27.40	100.00	4
CLAYTON	33 25 21	84 22 25	7	5.00	-11.60	100.00	2
CLAYTON	33 35 3	84 23 18	7	5.00	-11.60	100.00	2
CLAYTON	33 35 3	84 20 39	7	5.00	-11.60	100.00	2
CLAYTON	33 29 28	84 20 39	7	5.00	-11.60	100.00	4
CLINCH	30 44 43	82 31 41	3	7.00	-25.50	100.00	4
CLINCH	30 49 8	82 43 30	3	7.00	-25.50	100.00	4
CLINCH	31 5 26	82 52 12	3	7.00	-25.50	100.00	4
CLINCH	30 56 2	82 52 32	3	7.00	-25.50	100.00	4
CLINCH	31 5 26	82 43 40	3	7.00	-25.50	100.00	4
CLINCH	30 40 18	82 30 58	3	7.00	-25.50	100.00	4
CLINCH	30 56 28	82 48 12	3	7.00	-25.50	100.00	4
CLINCH	30 56 28	82 37 56	3	7.00	-25.50	100.00	4
CLINCH	30 53 32	82 36 22	3	7.00	-25.50	100.00	4
COBB	33 50 11	84 34 11	11	6.00	-9.00	100.00	2
COBB	33 59 53	84 28 57	11	6.00	-9.00	100.00	2
COBB	33 54 18	84 32 26	11	6.00	-9.00	100.00	2
COBB	33 59 53	84 38 52	11	6.00	-9.00	100.00	2
COBB	33 53 7	84 37 60	11	6.00	-9.00	100.00	2
COFFEE	31 36 0	82 41 46	3	5.00	-30.00	100.00	4
COFFEE	31 31 4	82 50 44	3	5.00	-30.00	100.00	4
COFFEE	31 36 0	82 49 17	3	5.00	-30.00	100.00	4
COFFEE	31 31 36	82 59 59	3	5.00	-30.00	100.00	4
COFFEE	31 36 53	82 57 3	3	5.00	-30.00	100.00	4
COFFEE	31 43 25	82 55 11	3	5.00	-30.00	100.00	4
COFFEE	31 28 4	83 3 45	3	5.00	-30.00	100.00	4
COFFEE	31 28 4	82 55 23	3	5.00	-30.00	100.00	4
COFFEE	31 31 15	82 40 55	3	5.00	-30.00	100.00	4
COFFEE	31 26 18	82 42 24	3	5.00	-30.00	100.00	4
COFFEE	31 26 18	82 47 3	3	5.00	-30.00	100.00	4
COLQUITT	31 8 8	83 52 34	3	8.00	-23.60	100.00	4
COLQUITT	31 14 2	83 52 34	3	8.00	-23.60	100.00	4
COLQUITT	31 8 8	83 41 35	3	8.00	-23.60	100.00	4
COLQUITT	31 14 2	83 38 27	3	8.00	-23.60	100.00	4
COLUMBIA	33 28 23	82 16 48	3	7.00	-25.50	100.00	4
COLUMBIA	33 36 19	82 18 29	3	7.00	-25.50	100.00	4
COLUMBIA	33 33 9	82 10 24	3	7.00	-25.50	100.00	4
COOK	31 16 1	83 27 29	3	5.00	-30.00	100.00	4
COOK	31 5 26	83 22 6	3	5.00	-30.00	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
COOK	31 9 60	83 27 29	3	5.00	-30.00	100.00	4
COOK	31 5 44	83 29 4	3	5.00	-30.00	100.00	4
COOK	31 11 19	83 23 40	3	5.00	-30.00	100.00	4
COMETA	33 25 30	84 49 19	3	6.00	-27.40	100.00	4
COMETA	33 16 49	84 35 35	3	6.00	-27.40	100.00	4
COMETA	33 26 14	84 43 3	3	6.00	-27.40	100.00	4
COMETA	33 20 3	84 40 59	3	6.00	-27.40	100.00	4
COMETA	33 18 17	84 46 11	3	6.00	-27.40	100.00	4
COMETA	33 22 51	84 54 54	3	6.00	-27.40	100.00	4
COMETA	33 17 51	84 52 37	3	6.00	-27.40	100.00	4
CRAWFORD	32 46 40	83 56 18	3	5.00	-30.00	100.00	4
CRAWFORD	32 41 58	83 50 19	3	5.00	-30.00	100.00	4
CRAWFORD	32 43 22	84 0 20	3	5.00	-30.00	100.00	4
CRAWFORD	32 46 54	84 4 6	3	5.00	-30.00	100.00	4
CRAWFORD	32 43 22	84 6 36	3	5.00	-30.00	100.00	4
CRAWFORD	32 40 47	83 55 20	3	5.00	-30.00	100.00	4
CRAWFORD	32 37 16	84 0 20	3	5.00	-30.00	100.00	4
CRISP	31 52 37	83 42 3	3	6.00	-27.40	100.00	4
CRISP	31 57 13	83 50 51	3	6.00	-27.40	100.00	4
CRISP	31 57 2	83 42 3	3	6.00	-27.40	100.00	4
CRISP	31 52 48	83 49 22	3	6.00	-27.40	100.00	4
DADE	34 55 43	85 31 8	3	5.00	-30.00	100.00	4
DADE	34 51 45	85 30 34	3	5.00	-30.00	100.00	4
DADE	34 55 43	85 27 57	3	5.00	-30.00	100.00	4
DADE	34 44 24	85 30 34	3	5.00	-30.00	100.00	4
DAWSON	34 31 20	84 14 47	3	5.00	-30.00	100.00	4
DAWSON	34 23 32	84 11 39	3	5.00	-30.00	100.00	4
DAWSON	34 23 32	84 3 50	3	5.00	-30.00	100.00	4
DAWSON	34 26 29	84 10 46	3	5.00	-30.00	100.00	4
DE KALB	33 47 40	84 12 21	11	5.00	-1.90	100.00	1
DE KALB	33 47 56	84 15 40	11	5.00	-1.90	100.00	1
DE KALB	33 42 1	84 8 30	11	5.00	-1.90	100.00	1
DE KALB	33 44 8	84 7 31	11	5.00	-1.90	100.00	1
DE KALB	33 42 9	84 16 31	11	5.00	-1.90	100.00	1
DE KALB	33 53 35	84 17 10	11	5.00	-1.90	100.00	1
DECATUR	30 57 32	84 37 54	3	9.00	-21.80	100.00	4
DECATUR	30 47 49	84 30 2	3	9.00	-21.80	100.00	4
DECATUR	30 58 7	84 30 2	3	9.00	-21.80	100.00	4
DECATUR	30 47 13	84 42 37	3	9.00	-21.80	100.00	4
DODGE	31 59 5	83 12 6	3	6.00	-27.40	100.00	4
DODGE	32 20 58	83 11 30	3	6.00	-27.40	100.00	4
DODGE	32 15 6	83 15 20	3	6.00	-27.40	100.00	4
DODGE	32 3 47	83 7 45	3	6.00	-27.40	100.00	4
DODGE	32 7 54	83 13 40	3	6.00	-27.40	100.00	4
DODGE	32 7 54	83 2 42	3	6.00	-27.40	100.00	4
DODGE	32 15 6	83 8 38	3	6.00	-27.40	100.00	4
DOOLY	32 7 1	83 53 14	3	7.00	-25.50	100.00	4
DOOLY	32 9 57	83 54 48	3	7.00	-25.50	100.00	4
DOOLY	32 11 52	83 52 20	3	7.00	-25.50	100.00	4
DOOLY	32 7 10	83 42 46	3	7.00	-25.50	100.00	4
DOOLY	32 12 18	83 42 56	3	7.00	-25.50	100.00	4
DOUGHERTY	31 31 51	84 13 32	5	7.00	-7.10	100.00	2
DOUGHERTY	31 31 51	84 21 23	5	7.00	-7.10	100.00	2
DOUGHERTY	31 31 51	84 5 41	5	7.00	-7.10	100.00	2
DOUGLAS	33 44 27	84 40 28	3	5.00	-11.60	100.00	2
DOUGLAS	33 42 59	84 49 51	3	5.00	-11.60	100.00	2
DOUGLAS	33 41 30	84 45 41	3	5.00	-11.60	100.00	2
DOUGLAS	33 38 34	84 49 51	3	5.00	-11.60	100.00	2
EARLY	31 21 15	84 44 33	3	7.00	-25.50	100.00	4
EARLY	31 10 12	85 0 5	3	7.00	-25.50	100.00	4
EARLY	31 24 56	84 52 24	3	7.00	-25.50	100.00	4
EARLY	31 24 47	84 59 33	3	7.00	-25.50	100.00	4
EARLY	31 17 34	85 0 5	3	7.00	-25.50	100.00	4
EARLY	31 20 48	84 52 24	3	7.00	-25.50	100.00	4
ECHOLS	30 46 56	83 2 44	3	6.00	-27.40	100.00	4
ECHOLS	30 41 2	83 3 5	3	6.00	-27.40	100.00	4
ECHOLS	30 41 20	82 55 15	3	6.00	-27.40	100.00	4
ECHOLS	30 39 25	82 40 24	3	6.00	-27.40	100.00	4
ECHOLS	30 47 31	82 58 40	3	6.00	-27.40	100.00	4
ECHOLS	30 40 0	82 46 46	3	6.00	-27.40	100.00	4
ECHOLS	30 45 54	82 54 37	3	6.00	-27.40	100.00	4
EFFINGHAM	32 26 20	81 16 10	3	6.00	-27.40	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
EFFINGHAM	32 27 30	81 27 27	3	6.00	-27.40	100.00	4
EFFINGHAM	32 16 20	81 20 30	3	6.00	-27.40	100.00	4
EFFINGHAM	32 12 13	81 21 11	3	6.00	-27.40	100.00	4
EFFINGHAM	32 21 37	81 23 41	3	6.00	-27.40	100.00	4
EFFINGHAM	32 30 19	81 22 26	3	6.00	-27.40	100.00	4
EFFINGHAM	32 18 6	81 12 25	3	6.00	-27.40	100.00	4
ELBERT	34 12 13	82 48 60	3	6.00	-27.40	100.00	4
ELBERT	34 9 44	82 59 25	3	6.00	-27.40	100.00	4
ELBERT	34 2 31	82 40 17	3	6.00	-27.40	100.00	4
ELBERT	34 5 54	82 46 54	3	6.00	-27.40	100.00	4
ELBERT	34 5 19	82 53 41	3	6.00	-27.40	100.00	4
ELBERT	34 3 24	82 48 38	3	6.00	-27.40	100.00	4
EMANUEL	32 26 55	82 16 8	3	5.00	-30.00	100.00	4
EMANUEL	32 33 30	82 30 19	3	5.00	-30.00	100.00	4
EMANUEL	32 32 48	82 12 48	3	5.00	-30.00	100.00	4
EMANUEL	32 26 55	82 19 4	3	5.00	-30.00	100.00	4
EMANUEL	32 30 26	82 22 49	3	5.00	-30.00	100.00	4
EMANUEL	32 21 30	82 19 3	3	5.00	-30.00	100.00	4
EMANUEL	32 35 9	82 19 4	3	5.00	-30.00	100.00	4
EMANUEL	32 39 37	82 10 6	3	5.00	-30.00	100.00	4
EMANUEL	32 36 5	82 5 6	3	5.00	-30.00	100.00	4
EMANUEL	32 44 40	82 11 21	3	5.00	-30.00	100.00	4
EMANUEL	32 46 26	82 19 52	3	5.00	-30.00	100.00	4
EMANUEL	32 41 15	82 24 29	3	5.00	-30.00	100.00	4
EMANUEL	32 39 51	82 17 48	3	5.00	-30.00	100.00	4
EMANUEL	32 35 58	82 25 19	3	5.00	-30.00	100.00	4
EVANS	32 8 6	81 55 1	3	5.00	-30.00	100.00	4
EVANS	32 11 2	81 52 23	3	5.00	-30.00	100.00	4
EVANS	32 12 48	81 56 16	3	5.00	-30.00	100.00	4
EVANS	32 6 20	81 48 45	3	5.00	-30.00	100.00	4
FANNIN	34 45 35	84 10 42	3	5.00	-30.00	100.00	4
FANNIN	34 52 38	84 11 56	3	5.00	-30.00	100.00	4
FANNIN	34 55 35	84 13 30	3	5.00	-30.00	100.00	4
FANNIN	34 50 44	84 16 58	3	5.00	-30.00	100.00	4
FANNIN	34 42 30	84 10 52	3	5.00	-30.00	100.00	4
FANNIN	34 55 35	84 26 1	3	5.00	-30.00	100.00	4
FANNIN	34 55 35	84 32 49	3	5.00	-30.00	100.00	4
FANNIN	34 55 35	84 19 45	3	5.00	-30.00	100.00	4
FAYETTE	33 28 52	84 29 7	3	5.00	-30.00	100.00	4
FAYETTE	33 24 10	84 28 15	3	5.00	-30.00	100.00	4
FAYETTE	33 27 24	84 32 15	3	5.00	-30.00	100.00	4
FAYETTE	33 24 10	84 31 33	3	5.00	-30.00	100.00	4
FAYETTE	33 19 46	84 27 44	3	5.00	-30.00	100.00	4
FLOYD	34 13 59	85 13 1	5	5.00	-30.00	100.00	4
FLOYD	34 16 29	85 19 17	5	5.00	-30.00	100.00	4
FLOYD	34 13 59	85 22 46	5	5.00	-30.00	100.00	4
FLOYD	34 31 2	85 6 56	5	5.00	-30.00	100.00	4
FLOYD	34 9 17	85 15 7	5	5.00	-30.00	100.00	4
FLOYD	34 8 59	85 7 28	5	5.00	-30.00	100.00	4
FLOYD	34 19 43	85 15 39	5	5.00	-30.00	100.00	4
FLOYD	34 20 45	85 5 54	5	5.00	-30.00	100.00	4
FLOYD	34 23 32	85 8 51	5	5.00	-30.00	100.00	4
FLOYD	34 14 52	85 5 54	5	5.00	-30.00	100.00	4
FLOYD	34 8 33	85 21 23	5	5.00	-30.00	100.00	4
FORSYTH	34 16 11	84 10 29	3	5.00	-30.00	100.00	4
FORSYTH	34 16 11	84 1 27	3	5.00	-30.00	100.00	4
FORSYTH	34 10 19	84 10 50	3	5.00	-30.00	100.00	4
FORSYTH	34 7 22	84 9 16	3	5.00	-30.00	100.00	4
FORSYTH	34 13 15	84 7 42	3	5.00	-30.00	100.00	4
FRANKLIN	34 24 22	83 18 43	3	5.00	-30.00	100.00	4
FRANKLIN	34 23 11	83 10 47	3	5.00	-30.00	100.00	4
FRANKLIN	34 24 22	83 13 42	3	5.00	-30.00	100.00	4
FRANKLIN	34 19 40	83 18 43	3	5.00	-30.00	100.00	4
FRANKLIN	34 18 29	83 11 12	3	5.00	-30.00	100.00	4
FRANKLIN	34 27 54	83 7 26	3	5.00	-30.00	100.00	4
FULTON	34 2 23	84 14 14	11	5.00	-1.90	100.00	1
FULTON	34 7 14	84 19 17	11	5.00	-1.90	100.00	1
FULTON	33 39 36	84 34 11	11	5.00	-1.90	100.00	1
FULTON	33 34 27	84 38 1	11	5.00	-1.90	100.00	1
FULTON	33 42 50	84 29 51	11	5.00	-1.90	100.00	1
FULTON	33 35 55	84 31 45	11	5.00	-1.90	100.00	1
FULTON	34 2 14	84 19 37	11	5.00	-1.90	100.00	1

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
FULTON	33 42 50	84 25 9	11	5.00	-1.90	100.00	1
FULTON	33 48 7	84 24 49	11	5.00	-1.90	100.00	1
FULTON	33 34 1	84 44 38	11	5.00	-1.90	100.00	1
FULTON	33 36 22	84 38 22	11	5.00	-1.90	100.00	1
FULTON	33 54 35	84 23 5	11	5.00	-1.90	100.00	1
GILMER	34 38 14	84 32 58	3	7.00	-25.50	100.00	4
GILMER	34 45 9	84 25 19	3	7.00	-25.50	100.00	4
GILMER	34 38 58	84 19 56	3	7.00	-25.50	100.00	4
GILMER	34 45 35	84 30 43	3	7.00	-25.50	100.00	4
GLASCOCK	33 14 37	82 35 6	3	5.00	-30.00	100.00	4
GLASCOCK	33 13 9	82 39 48	3	5.00	-30.00	100.00	4
GLASCOCK	33 17 33	82 30 25	3	5.00	-30.00	100.00	4
GLASCOCK	33 11 32	82 38 34	3	5.00	-30.00	100.00	4
GLYNN	31 13 15	81 38 4	3	8.00	-23.60	100.00	4
GLYNN	31 8 19	81 27 26	3	8.00	-23.60	100.00	4
GLYNN	31 18 43	81 37 13	3	8.00	-23.60	100.00	4
GLYNN	31 12 54	81 23 53	3	8.00	-23.60	100.00	4
GORDON	34 30 9	84 53 36	3	8.00	-23.60	100.00	4
GORDON	34 30 9	84 46 48	3	8.00	-23.60	100.00	4
GORDON	34 30 9	84 58 17	3	8.00	-23.60	100.00	4
GRADY	30 57 59	84 14 44	3	9.00	-21.80	100.00	4
GRADY	30 46 29	84 14 12	3	9.00	-21.80	100.00	4
GRADY	30 52 40	84 14 1	3	9.00	-21.80	100.00	4
GREENE	33 39 1	83 15 41	3	7.00	-25.50	100.00	4
GREENE	33 28 8	83 9 57	3	7.00	-25.50	100.00	4
GREENE	33 36 48	83 4 44	3	7.00	-25.50	100.00	4
GREENE	33 31 22	83 6 8	3	7.00	-25.50	100.00	4
GWINNETT	33 56 21	84 7 28	11	8.00	-5.20	100.00	2
GWINNETT	34 2 31	83 59 40	11	8.00	-5.20	100.00	2
GWINNETT	33 57 14	83 57 14	11	8.00	-5.20	100.00	2
HABERSHAM	34 38 9	83 34 29	3	5.00	-30.00	100.00	4
HABERSHAM	34 40 1	83 32 30	3	5.00	-30.00	100.00	4
HABERSHAM	34 30 42	83 35 29	3	5.00	-30.00	100.00	4
HABERSHAM	34 45 9	83 36 28	3	5.00	-30.00	100.00	4
HABERSHAM	34 33 13	83 30 4	3	5.00	-30.00	100.00	4
HABERSHAM	34 40 35	83 25 59	3	5.00	-30.00	100.00	4
HALL	34 19 8	83 51 6	5	6.00	-9.00	100.00	2
HALL	34 25 54	83 43 57	5	6.00	-9.00	100.00	2
HALL	34 13 6	83 57 9	5	6.00	-9.00	100.00	2
HALL	34 11 38	83 51 58	5	6.00	-9.00	100.00	2
HALL	34 18 33	83 44 18	5	6.00	-9.00	100.00	2
HALL	34 23 50	83 52 18	5	6.00	-9.00	100.00	2
HANCOCK	33 13 38	83 9 15	3	6.00	-27.40	100.00	4
HANCOCK	33 8 14	83 2 29	3	6.00	-27.40	100.00	4
HANCOCK	33 22 12	82 59 37	3	6.00	-27.40	100.00	4
HANCOCK	33 21 53	82 54 32	3	6.00	-27.40	100.00	4
HANCOCK	33 16 29	82 51 13	3	6.00	-27.40	100.00	4
HANCOCK	33 19 59	83 3 36	3	6.00	-27.40	100.00	4
HANCOCK	33 11 44	82 57 47	3	6.00	-27.40	100.00	4
HANCOCK	33 16 29	83 1 22	3	6.00	-27.40	100.00	4
HARALSON	33 43 52	85 16 28	3	6.00	-27.40	100.00	4
HARALSON	33 49 18	85 11 15	3	6.00	-27.40	100.00	4
HARALSON	33 46 39	85 7 67	3	6.00	-27.40	100.00	4
HARALSON	33 49 35	85 7 47	3	6.00	-27.40	100.00	4
HARALSON	33 49 18	85 17 30	3	6.00	-27.40	100.00	4
HARRIS	32 47 8	85 3 2	3	7.00	-25.50	100.00	4
HARRIS	32 40 40	84 47 22	3	7.00	-25.50	100.00	4
HARRIS	32 41 15	84 59 1	3	7.00	-25.50	100.00	4
HARRIS	32 47 8	84 55 53	3	7.00	-25.50	100.00	4
HARRIS	32 46 33	84 47 22	3	7.00	-25.50	100.00	4
HART	34 20 57	82 52 41	3	6.00	-27.40	100.00	4
HART	34 17 26	83 0 54	3	6.00	-27.40	100.00	4
HART	34 24 29	82 56 27	3	6.00	-27.40	100.00	4
HART	34 24 43	83 0 12	3	6.00	-27.40	100.00	4
HEARD	33 20 47	85 11 26	3	6.00	-27.40	100.00	4
HEARD	33 13 44	85 10 13	3	6.00	-27.40	100.00	4
HEARD	33 16 23	85 3 6	3	6.00	-27.40	100.00	4
HEARD	33 20 47	85 4 38	3	6.00	-27.40	100.00	4
HENRY	33 28 52	84 12 14	3	5.00	-30.00	100.00	4
HENRY	33 34 36	84 12 26	3	5.00	-30.00	100.00	4
HENRY	33 26 22	84 1 6	3	5.00	-30.00	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
HENRY	33 24 28	84 10 60	3	5.00	-30.00	100.00	4
HENRY	33 30 12	84 7 44	3	5.00	-30.00	100.00	4
HENRY	33 21 58	84 6 10	3	5.00	-30.00	100.00	4
HENRY	33 24 1	84 16 14	3	5.00	-30.00	100.00	4
HOUSTON	32 21 43	83 39 50	5	6.00	-9.00	100.00	2
HOUSTON	32 21 43	83 46 5	5	6.00	-9.00	100.00	2
HOUSTON	32 27 0	83 42 58	5	6.00	-9.00	100.00	2
HOUSTON	32 27 0	83 35 8	5	6.00	-9.00	100.00	2
HOUSTON	32 35 49	83 38 16	5	6.00	-9.00	100.00	4
IRWIN	31 37 27	83 6 3	3	5.00	-30.00	100.00	4
IRWIN	31 36 34	83 19 1	3	5.00	-30.00	100.00	4
IRWIN	31 34 59	83 13 32	3	5.00	-30.00	100.00	4
IRWIN	31 32 21	83 15 12	3	5.00	-30.00	100.00	4
IRWIN	31 32 10	83 19 46	3	5.00	-30.00	100.00	4
IRWIN	31 37 27	83 25 23	3	5.00	-30.00	100.00	4
IRWIN	31 41 40	83 23 41	3	5.00	-30.00	100.00	4
IRWIN	31 32 21	83 8 57	3	5.00	-30.00	100.00	4
JACKSON	34 7 40	83 28 40	3	7.00	-25.50	100.00	4
JACKSON	34 7 58	83 40 18	3	7.00	-25.50	100.00	4
JACKSON	34 5 1	83 30 23	3	7.00	-25.50	100.00	4
JACKSON	34 11 3	83 35 5	3	7.00	-25.50	100.00	4
JASPER	33 14 39	83 43 15	3	8.00	-23.60	100.00	4
JASPER	33 15 29	83 39 54	3	8.00	-23.60	100.00	4
JASPER	33 21 42	83 43 45	3	8.00	-23.60	100.00	4
JASPER	33 23 57	83 39 54	3	8.00	-23.60	100.00	4
JEFF DAVIS	31 49 35	82 35 58	3	5.00	-30.00	100.00	4
JEFF DAVIS	31 44 18	82 35 58	3	5.00	-30.00	100.00	4
JEFF DAVIS	31 44 18	82 45 22	3	5.00	-30.00	100.00	4
JEFF DAVIS	31 47 7	82 45 22	3	5.00	-30.00	100.00	4
JEFF DAVIS	31 49 56	82 41 46	3	5.00	-30.00	100.00	4
JEFF DAVIS	31 52 24	82 34 47	3	5.00	-30.00	100.00	4
JEFF DAVIS	31 44 18	82 41 36	3	5.00	-30.00	100.00	4
JEFF DAVIS	31 54 31	82 29 22	3	5.00	-30.00	100.00	4
JEFFERSON	33 3 47	82 22 50	3	7.00	-25.50	100.00	4
JEFFERSON	33 7 17	82 28 19	3	7.00	-25.50	100.00	4
JEFFERSON	32 52 22	82 25 30	3	7.00	-25.50	100.00	4
JEFFERSON	32 55 51	82 23 36	3	7.00	-25.50	100.00	4
JEFFERSON	32 59 40	82 26 38	3	7.00	-25.50	100.00	4
JEFFERSON	33 5 23	82 30 56	3	7.00	-25.50	100.00	4
JEFFERSON	33 12 31	82 21 44	3	7.00	-25.50	100.00	4
JENKINS	32 41 24	81 59 22	3	6.00	-27.40	100.00	4
JENKINS	32 46 50	81 55 11	3	6.00	-27.40	100.00	4
JENKINS	32 50 40	82 2 30	3	6.00	-27.40	100.00	4
JENKINS	32 52 8	81 51 32	3	6.00	-27.40	100.00	4
JENKINS	32 45 22	82 1 47	3	6.00	-27.40	100.00	4
JENKINS	32 42 17	81 56 54	3	6.00	-27.40	100.00	4
JOHNSON	32 41 24	82 40 23	3	5.00	-30.00	100.00	4
JOHNSON	32 44 20	82 52 15	3	5.00	-30.00	100.00	4
JOHNSON	32 43 28	82 46 26	3	5.00	-30.00	100.00	4
JOHNSON	32 43 45	82 40 10	3	5.00	-30.00	100.00	4
JOHNSON	32 40 49	82 33 26	3	5.00	-30.00	100.00	4
JOHNSON	32 34 56	82 37 15	3	5.00	-30.00	100.00	4
JOHNSON	32 45 13	82 31 52	3	5.00	-30.00	100.00	4
JONES	33 6 4	83 30 7	3	6.00	-27.40	100.00	4
JONES	33 4 53	83 35 40	3	6.00	-27.40	100.00	4
JONES	32 55 50	83 31 22	3	6.00	-27.40	100.00	4
JONES	32 57 50	83 27 37	3	6.00	-27.40	100.00	4
JONES	33 5 22	83 41 55	3	6.00	-27.40	100.00	4
JONES	32 58 11	83 37 13	3	6.00	-27.40	100.00	4
LAMAR	33 7 15	84 10 53	3	5.00	-30.00	100.00	4
LAMAR	33 0 4	84 6 25	3	5.00	-30.00	100.00	4
LAMAR	33 3 7	84 11 27	3	5.00	-30.00	100.00	4
LAMAR	33 8 18	84 6 25	3	5.00	-30.00	100.00	4
LANIER	30 55 18	83 0 19	3	5.00	-30.00	100.00	4
LANIER	31 7 21	83 1 15	3	5.00	-30.00	100.00	4
LANIER	31 0 35	83 1 53	3	5.00	-30.00	100.00	4
LANIER	31 0 35	83 6 28	3	5.00	-30.00	100.00	4
LANIER	31 4 25	83 5 56	3	5.00	-30.00	100.00	4
LAURENS	32 21 47	82 51 56	3	10.00	-20.20	100.00	4
LAURENS	32 35 15	82 54 46	3	10.00	-20.20	100.00	4
LAURENS	32 32 0	83 3 2	3	10.00	-20.20	100.00	4
LAURENS	32 30 28	82 48 18	3	10.00	-20.20	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
LAURENS	32 17 52	82 56 21	3	10.00	-20.20	100.00	4
LEE	31 46 37	84 13 3	3	5.00	-30.00	100.00	4
LEE	31 41 19	84 5 31	3	5.00	-30.00	100.00	4
LEE	31 51 23	84 1 7	3	5.00	-30.00	100.00	4
LEE	31 46 37	84 4 40	3	5.00	-30.00	100.00	4
LEE	31 50 51	84 12 38	3	5.00	-30.00	100.00	4
LEE	31 50 51	84 6 59	3	5.00	-30.00	100.00	4
LEE	31 50 51	84 16 24	3	5.00	-30.00	100.00	4
LEE	31 41 19	84 13 3	3	6.00	-27.40	100.00	4
LIBERTY	31 50 4	81 34 5	3	6.00	-27.40	100.00	4
LIBERTY	31 39 51	81 12 4	3	6.00	-27.40	100.00	4
LIBERTY	31 43 15	81 19 45	3	6.00	-27.40	100.00	4
LIBERTY	31 44 57	81 26 50	3	6.00	-27.40	100.00	4
LIBERTY	31 53 8	81 29 13	3	6.00	-27.40	100.00	4
LIBERTY	32 0 18	81 42 21	3	6.00	-27.40	100.00	4
LIBERTY	31 53 29	81 39 32	3	6.00	-27.40	100.00	4
LIBERTY	31 45 59	81 21 57	3	6.00	-27.40	100.00	4
LINCOLN	33 43 25	82 27 18	3	5.00	-30.00	100.00	4
LINCOLN	33 45 11	82 19 29	3	5.00	-30.00	100.00	4
LINCOLN	33 49 35	82 30 26	3	5.00	-30.00	100.00	4
LINCOLN	33 55 28	82 33 34	3	5.00	-30.00	100.00	4
LINCOLN	33 47 41	82 25 2	3	5.00	-30.00	100.00	4
LONG	31 43 3	81 47 10	3	5.00	-30.00	100.00	4
LONG	31 37 4	81 39 0	3	5.00	-30.00	100.00	4
LONG	31 38 39	81 41 7	3	5.00	-30.00	100.00	4
LONG	31 55 24	81 49 3	3	5.00	-30.00	100.00	4
LONG	31 40 35	81 35 15	3	5.00	-30.00	100.00	4
LONG	31 48 21	81 52 49	3	5.00	-30.00	100.00	4
LONG	31 48 21	81 47 10	3	5.00	-30.00	100.00	4
LONG	31 43 3	81 40 29	3	5.00	-30.00	100.00	4
LOWNDES	30 50 9	83 16 10	4	6.00	-27.40	100.00	4
LOWNDES	30 42 31	83 17 34	4	6.00	-27.40	100.00	4
LOWNDES	30 56 37	83 15 51	4	6.00	-27.40	100.00	4
LOWNDES	30 53 6	83 6 47	4	6.00	-27.40	100.00	4
LOWNDES	30 45 27	83 12 52	4	6.00	-27.40	100.00	4
LOWNDES	30 45 27	83 22 26	4	6.00	-27.40	100.00	4
LOWNDES	30 42 31	83 12 52	4	6.00	-27.40	100.00	4
LOWNDES	30 57 13	83 22 6	4	6.00	-27.40	100.00	4
LUMPKIN	34 32 36	84 5 37	3	5.00	-30.00	100.00	4
LUMPKIN	34 29 25	83 59 21	3	5.00	-30.00	100.00	4
LUMPKIN	34 40 0	83 56 1	3	5.00	-30.00	100.00	4
LUMPKIN	34 34 7	83 56 26	3	5.00	-30.00	100.00	4
LUMPKIN	34 35 18	84 0 19	3	5.00	-30.00	100.00	4
LUMPKIN	34 31 32	83 55 36	3	5.00	-30.00	100.00	4
LUMPKIN	34 36 7	84 6 52	3	5.00	-30.00	100.00	4
MACON	32 25 14	84 4 17	3	7.00	-25.50	100.00	4
MACON	32 21 7	83 57 52	3	7.00	-25.50	100.00	4
MACON	32 16 43	84 4 8	3	7.00	-25.50	100.00	4
MACON	32 24 21	83 56 59	3	7.00	-25.50	100.00	4
MACON	32 18 55	84 8 59	3	7.00	-25.50	100.00	4
MADISON	34 10 45	83 10 3	3	6.00	-27.40	100.00	4
MADISON	34 4 44	83 16 8	3	6.00	-27.40	100.00	4
MADISON	34 4 17	83 5 21	3	6.00	-27.40	100.00	4
MADISON	34 10 45	83 16 49	3	6.00	-27.40	100.00	4
MARION	32 19 21	84 31 36	3	8.00	-23.60	100.00	4
MARION	32 14 57	84 31 36	3	8.00	-23.60	100.00	4
MARION	32 26 42	84 31 36	3	8.00	-23.60	100.00	4
MCDUFFIE	33 34 6	82 31 37	3	6.00	-27.40	100.00	4
MCDUFFIE	33 28 33	82 28 58	3	6.00	-27.40	100.00	4
MCDUFFIE	33 22 60	82 25 47	3	6.00	-27.40	100.00	4
MCINTOSH	31 28 57	81 32 7	3	7.00	-25.50	100.00	4
MCINTOSH	31 27 43	81 20 56	3	7.00	-25.50	100.00	4
MCINTOSH	31 33 32	81 27 33	3	7.00	-25.50	100.00	4
MCINTOSH	31 33 32	81 18 9	3	7.00	-25.50	100.00	4
MCINTOSH	31 25 57	81 26 34	3	7.00	-25.50	100.00	4
MCINTOSH	31 23 40	81 22 20	3	7.00	-25.50	100.00	4
MERIWETHER	33 8 53	84 46 15	3	6.00	-27.40	100.00	4
MERIWETHER	33 1 32	84 46 38	3	6.00	-27.40	100.00	4
MERIWETHER	32 56 15	84 45 25	3	6.00	-27.40	100.00	4
MERIWETHER	33 8 53	84 35 18	3	6.00	-27.40	100.00	4
MERIWETHER	33 8 53	84 41 34	3	6.00	-27.40	100.00	4
MERIWETHER	33 1 32	84 37 4	3	6.00	-27.40	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
MERIWETHER	32 55 39	84 35 49	3	6.00	-27.40	100.00	4
MILLER	31 9 46	84 44 55	3	7.00	-25.50	100.00	4
MILLER	31 9 46	84 49 37	3	7.00	-25.50	100.00	4
MILLER	31 10 12	84 38 8	3	7.00	-25.50	100.00	4
MITCHELL	31 20 48	84 5 39	3	7.00	-25.50	100.00	4
MITCHELL	31 9 54	84 6 0	3	7.00	-25.50	100.00	4
MITCHELL	31 8 26	84 22 13	3	7.00	-25.50	100.00	4
MITCHELL	31 10 39	84 14 22	3	7.00	-25.50	100.00	4
MITCHELL	31 15 30	84 6 52	3	7.00	-25.50	100.00	4
MITCHELL	31 14 2	84 14 22	3	7.00	-25.50	100.00	4
MONROE	32 54 29	84 2 2	3	6.00	-27.40	100.00	4
MONROE	32 59 55	83 48 50	3	6.00	-27.40	100.00	4
MONROE	33 1 50	83 57 20	3	6.00	-27.40	100.00	4
MONROE	33 7 43	83 57 20	3	6.00	-27.40	100.00	4
MONROE	33 7 34	83 54 13	3	6.00	-27.40	100.00	4
MONROE	32 55 57	83 54 13	3	6.00	-27.40	100.00	4
MONTGOMERY	32 1 9	82 32 9	3	5.00	-30.00	100.00	4
MONTGOMERY	32 11 23	82 31 33	3	5.00	-30.00	100.00	4
MONTGOMERY	32 6 16	82 32 9	3	5.00	-30.00	100.00	4
MONTGOMERY	32 17 31	82 30 7	3	5.00	-30.00	100.00	4
MONTGOMERY	32 10 52	82 33 23	3	5.00	-30.00	100.00	4
MONTGOMERY	32 15 28	82 34 12	3	5.00	-30.00	100.00	4
MORGAN	33 42 59	83 30 18	3	6.00	-27.40	100.00	4
MORGAN	33 31 40	83 22 17	3	6.00	-27.40	100.00	4
MORGAN	33 34 10	83 35 30	3	6.00	-27.40	100.00	4
MORGAN	33 31 13	83 30 49	3	6.00	-27.40	100.00	4
MORGAN	33 37 32	83 27 41	3	6.00	-27.40	100.00	4
MURRAY	34 47 38	84 44 6	3	7.00	-25.50	100.00	4
MURRAY	34 53 58	84 43 13	3	7.00	-25.50	100.00	4
MURRAY	34 40 35	84 46 43	3	7.00	-25.50	100.00	4
MUSCOGEE	32 28 46	84 49 46	8	5.00	-11.60	100.00	2
MUSCOGEE	32 31 51	84 45 37	8	5.00	-11.60	100.00	2
MUSCOGEE	32 31 25	84 51 52	8	5.00	-11.60	100.00	2
MUSCOGEE	32 27 26	84 55 0	8	5.00	-11.60	100.00	2
MUSCOGEE	32 33 10	84 58 49	8	5.00	-11.60	100.00	2
NEWTON	33 32 17	83 57 40	4	5.00	-11.60	100.00	2
NEWTON	33 27 21	83 51 40	4	5.00	-11.60	100.00	2
NEWTON	33 31 51	83 46 29	4	5.00	-11.60	100.00	2
NEWTON	33 34 41	83 46 29	4	5.00	-11.60	100.00	2
NEWTON	33 38 55	83 52 30	4	5.00	-11.60	100.00	2
NEWTON	33 33 42	83 53 10	4	5.00	-11.60	100.00	2
OCONEE	33 46 13	83 22 27	3	5.00	-30.00	100.00	4
OCONEE	33 51 39	83 25 56	3	5.00	-30.00	100.00	4
OCONEE	33 48 43	83 22 27	3	5.00	-30.00	100.00	4
OCONEE	33 53 25	83 32 1	3	5.00	-30.00	100.00	4
OGLETHORPE	33 57 5	83 2 25	3	6.00	-27.40	100.00	4
OGLETHORPE	33 45 55	83 3 6	3	6.00	-27.40	100.00	4
OGLETHORPE	33 51 48	83 2 14	3	6.00	-27.40	100.00	4
OGLETHORPE	33 57 5	83 10 15	3	6.00	-27.40	100.00	4
OGLETHORPE	33 48 16	83 11 48	3	6.00	-27.40	100.00	4
OGLETHORPE	33 57 32	82 54 35	3	6.00	-27.40	100.00	4
PAULDING	33 53 16	84 56 17	3	7.00	-25.50	100.00	4
PAULDING	33 59 35	84 50 53	3	7.00	-25.50	100.00	4
PAULDING	33 51 48	84 49 41	3	7.00	-25.50	100.00	4
PEACH	32 33 51	83 49 28	3	5.00	-30.00	100.00	4
PEACH	32 31 30	83 49 28	3	5.00	-30.00	100.00	4
PEACH	32 32 40	83 54 29	3	5.00	-30.00	100.00	4
PEACH	32 37 23	83 45 43	3	5.00	-30.00	100.00	4
PICKENS	34 27 39	84 21 33	3	6.00	-27.40	100.00	4
PICKENS	34 27 39	84 28 21	3	6.00	-27.40	100.00	4
PIERCE	34 28 6	84 33 54	3	6.00	-27.40	100.00	4
PIERCE	31 23 50	82 8 26	3	7.00	-25.50	100.00	4
PIERCE	31 19 47	82 6 44	3	7.00	-25.50	100.00	4
PIERCE	31 17 50	82 13 58	3	7.00	-25.50	100.00	4
PIERCE	31 24 54	82 14 4	3	7.00	-25.50	100.00	4
PIKE	31 21 43	82 18 11	3	7.00	-25.50	100.00	4
PIKE	33 6 58	84 25 13	3	6.00	-27.40	100.00	4
PIKE	33 4 2	84 20 11	3	6.00	-27.40	100.00	4
PIKE	33 6 58	84 20 31	3	6.00	-27.40	100.00	4
POLK	33 59 44	85 18 22	3	7.00	-25.50	100.00	4
POLK	33 59 44	85 11 24	3	7.00	-25.50	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
POLK	33 59 44	85 3 34	3	7.00	-25.50	100.00	4
PULASKI	32 11 8	83 31 56	3	6.00	-27.40	100.00	4
PULASKI	32 15 32	83 27 15	3	6.00	-27.40	100.00	4
PULASKI	32 18 29	83 30 22	3	6.00	-27.40	100.00	4
PULASKI	32 11 8	83 24 7	3	6.00	-27.40	100.00	4
PUTNAM	33 19 44	83 15 2	3	6.00	-27.40	100.00	4
PUTNAM	33 23 57	83 20 22	3	6.00	-27.40	100.00	4
PUTNAM	33 15 30	83 21 3	3	6.00	-27.40	100.00	4
PUTNAM	33 15 30	83 27 43	3	6.00	-27.40	100.00	4
PUTNAM	33 22 7	83 27 13	3	6.00	-27.40	100.00	4
QUITMAN	31 54 24	85 0 33	3	6.00	-27.40	100.00	4
QUITMAN	31 50 20	85 0 33	3	6.00	-27.40	100.00	4
QUITMAN	31 50 20	85 2 27	3	6.00	-27.40	100.00	4
RABUN	34 47 35	83 22 47	3	5.00	-30.00	100.00	4
RABUN	34 47 40	83 29 11	3	5.00	-30.00	100.00	4
RABUN	34 55 58	83 22 33	3	5.00	-30.00	100.00	4
RABUN	34 52 20	83 34 9	3	5.00	-30.00	100.00	4
RABUN	34 55 47	83 16 2	3	5.00	-30.00	100.00	4
RABUN	34 55 58	83 28 31	3	5.00	-30.00	100.00	4
RABUN	34 52 14	83 19 48	3	5.00	-30.00	100.00	4
RABUN	34 56 43	83 10 4	3	5.00	-30.00	100.00	4
RABUN	34 52 14	83 25 45	3	5.00	-30.00	100.00	4
RANDOLPH	31 49 58	84 48 38	3	7.00	-25.50	100.00	4
RANDOLPH	31 42 54	84 50 55	3	7.00	-25.50	100.00	4
RANDOLPH	31 42 33	84 39 26	3	7.00	-25.50	100.00	4
RANDOLPH	31 49 27	84 41 19	3	7.00	-25.50	100.00	4
RANDOLPH	31 43 5	84 45 54	3	7.00	-25.50	100.00	4
RICHMOND	33 26 48	82 1 57	10	6.00	-9.00	100.00	2
RICHMOND	33 22 12	82 7 1	10	6.00	-9.00	100.00	2
RICHMOND	33 18 52	81 56 52	10	6.00	-9.00	100.00	2
RICHMOND	33 20 37	82 13 47	10	6.00	-9.00	100.00	2
RICHMOND	33 18 52	82 3 38	10	6.00	-9.00	100.00	2
ROCKDALE	33 36 5	84 4 32	4	5.00	-11.60	100.00	2
ROCKDALE	33 38 55	84 1 31	4	5.00	-11.60	100.00	2
ROCKDALE	33 42 26	83 59 0	4	5.00	-11.60	100.00	2
SCHLEY	32 13 29	84 21 1	3	5.00	-30.00	100.00	4
SCHLEY	32 20 50	84 19 37	3	5.00	-30.00	100.00	4
SCHLEY	32 15 50	84 19 16	3	5.00	-30.00	100.00	4
SCHLEY	32 13 29	84 16 5	3	5.00	-30.00	100.00	4
SCREVEN	32 41 51	81 43 33	3	8.00	-23.60	100.00	4
SCREVEN	32 54 55	81 34 10	3	8.00	-23.60	100.00	4
SCREVEN	32 36 16	81 34 22	3	8.00	-23.60	100.00	4
SCREVEN	32 39 29	81 31 11	3	8.00	-23.60	100.00	4
SCREVEN	32 46 50	81 32 45	3	8.00	-23.60	100.00	4
SCREVEN	32 49 11	81 40 26	3	8.00	-23.60	100.00	4
SEMINOLE	30 59 53	84 55 0	3	6.00	-27.40	100.00	4
SEMINOLE	30 59 53	84 49 46	3	6.00	-27.40	100.00	4
SEMINOLE	30 53 60	84 51 20	3	6.00	-27.40	100.00	4
SEMINOLE	30 48 59	84 52 23	3	6.00	-27.40	100.00	4
SPALDING	33 16 32	84 18 8	3	6.00	-27.40	100.00	4
SPALDING	33 15 30	84 11 53	3	6.00	-27.40	100.00	4
SPALDING	33 14 19	84 24 15	3	6.00	-27.40	100.00	4
STEPHENS	34 31 21	83 22 1	3	5.00	-30.00	100.00	4
STEPHENS	34 36 23	83 18 55	3	5.00	-30.00	100.00	4
STEPHENS	34 32 39	83 11 58	3	5.00	-30.00	100.00	4
STEPHENS	34 32 34	83 17 28	3	5.00	-30.00	100.00	4
STEWART	32 7 49	84 45 15	3	8.00	-23.60	100.00	4
STEWART	32 2 10	84 54 54	3	8.00	-23.60	100.00	4
STEWART	32 7 49	84 54 54	3	8.00	-23.60	100.00	4
STEWART	32 0 45	84 45 15	3	8.00	-23.60	100.00	4
SUMTER	31 59 41	84 19 30	3	8.00	-23.60	100.00	4
SUMTER	31 59 41	84 2 33	3	8.00	-23.60	100.00	4
SUMTER	32 6 46	84 8 12	3	8.00	-23.60	100.00	4
SUMTER	32 1 27	84 11 58	3	8.00	-23.60	100.00	4
SUMTER	32 3 14	84 19 30	3	8.00	-23.60	100.00	4
TALBOT	32 36 7	84 36 24	3	6.00	-27.40	100.00	4
TALBOT	32 46 24	84 36 24	3	6.00	-27.40	100.00	4
TALBOT	32 41 59	84 36 3	3	6.00	-27.40	100.00	4
TALBOT	32 37 44	84 29 6	3	6.00	-27.40	100.00	4
TALBOT	32 47 26	84 30 19	3	6.00	-27.40	100.00	4
TALBOT	32 43 28	84 23 31	3	6.00	-27.40	100.00	4
TALIAFERRO	33 34 6	82 47 46	3	5.00	-30.00	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
TALIAFERRO	33 30 27	82 55 17	3	5.00	-30.00	100.00	4
TALIAFERRO	33 33 38	82 55 17	3	5.00	-30.00	100.00	4
TALIAFERRO	33 38 52	82 56 13	3	5.00	-30.00	100.00	4
TATTNALL	32 0 18	81 56 16	3	7.00	-25.50	100.00	4
TATTNALL	32 13 5	82 6 22	3	7.00	-25.50	100.00	4
TATTNALL	31 58 46	82 6 22	3	7.00	-25.50	100.00	4
TATTNALL	31 53 59	82 0 6	3	7.00	-25.50	100.00	4
TATTNALL	32 4 23	82 6 22	3	7.00	-25.50	100.00	4
TAYLOR	32 27 18	84 17 26	3	6.00	-27.40	100.00	4
TAYLOR	32 38 19	84 16 24	3	6.00	-27.40	100.00	4
TAYLOR	32 35 23	84 9 26	3	6.00	-27.40	100.00	4
TAYLOR	32 32 26	84 20 55	3	6.00	-27.40	100.00	4
TAYLOR	32 30 49	84 12 34	3	6.00	-27.40	100.00	4
TAYLOR	32 32 26	84 6 18	3	6.00	-27.40	100.00	4
TELFair	31 51 57	82 56 9	3	7.00	-25.50	100.00	4
TELFair	32 0 49	82 55 43	3	7.00	-25.50	100.00	4
TELFair	31 53 39	83 4 49	3	7.00	-25.50	100.00	4
TELFair	31 56 12	82 47 28	3	7.00	-25.50	100.00	4
TERRELL	31 47 40	84 22 39	3	7.00	-25.50	100.00	4
TERRELL	31 43 5	84 23 30	3	7.00	-25.50	100.00	4
TERRELL	31 43 5	84 27 16	3	7.00	-25.50	100.00	4
TERRELL	31 50 9	84 29 9	3	7.00	-25.50	100.00	4
THOMAS	30 58 34	84 1 39	3	8.00	-23.60	100.00	4
THOMAS	30 52 40	83 57 27	3	8.00	-23.60	100.00	4
THOMAS	30 45 54	83 57 39	3	8.00	-23.60	100.00	4
THOMAS	30 45 54	83 51 22	3	8.00	-23.60	100.00	4
THOMAS	30 56 13	83 51 22	3	8.00	-23.60	100.00	4
TIFF	31 25 24	83 33 31	3	7.00	-25.50	100.00	4
TIFF	31 30 21	83 33 31	3	7.00	-25.50	100.00	4
TIFF	31 27 10	83 27 52	3	7.00	-25.50	100.00	4
TOOMBS	32 13 36	82 19 39	3	8.00	-23.60	100.00	4
TOOMBS	32 7 17	82 19 27	3	8.00	-23.60	100.00	4
TOOMBS	32 1 40	82 20 28	3	8.00	-23.60	100.00	4
TOWNS	34 57 45	83 51 16	3	5.00	-30.00	100.00	4
TOWNS	34 51 41	83 43 38	3	5.00	-30.00	100.00	4
TOWNS	34 55 19	83 44 44	3	5.00	-30.00	100.00	4
TOWNS	34 58 1	83 38 7	3	5.00	-30.00	100.00	4
TREUTLEN	32 25 11	82 28 19	3	5.00	-30.00	100.00	4
TREUTLEN	32 22 7	82 39 28	3	5.00	-30.00	100.00	4
TREUTLEN	32 26 33	82 36 12	3	5.00	-30.00	100.00	4
TREUTLEN	32 23 49	82 34 1	3	5.00	-30.00	100.00	4
TRoup	33 4 46	85 8 13	4	6.00	-27.40	100.00	4
TRoup	32 51 6	84 19 10	4	6.00	-27.40	100.00	4
TRoup	32 55 4	84 12 23	4	6.00	-27.40	100.00	4
TRoup	32 48 27	84 13 26	4	6.00	-27.40	100.00	4
TRoup	32 55 22	84 25 58	4	6.00	-27.40	100.00	4
TRoup	32 54 47	84 19 32	4	6.00	-27.40	100.00	4
TRoup	33 8 0	84 57 15	4	6.00	-27.40	100.00	4
TRoup	32 56 32	85 6 39	4	6.00	-27.40	100.00	4
TRoup	33 1 50	84 57 15	4	6.00	-27.40	100.00	4
TRoup	32 56 59	84 57 15	4	6.00	-27.40	100.00	4
TURNER	31 47 59	83 32 57	3	5.00	-30.00	100.00	4
TURNER	31 44 29	83 44 11	3	5.00	-30.00	100.00	4
TURNER	31 43 57	83 31 56	3	5.00	-30.00	100.00	4
TURNER	31 38 41	83 39 25	3	5.00	-30.00	100.00	4
TURNER	31 44 18	83 38 60	3	5.00	-30.00	100.00	4
TURNER	31 40 58	83 44 11	3	5.00	-30.00	100.00	4
TURNER	31 39 33	83 33 48	3	5.00	-30.00	100.00	4
TWIGGS	32 42 40	83 23 10	3	5.00	-30.00	100.00	4
TWIGGS	32 34 26	83 24 25	3	5.00	-30.00	100.00	4
TWIGGS	32 36 47	83 19 25	3	5.00	-30.00	100.00	4
TWIGGS	32 32 12	83 27 46	3	5.00	-30.00	100.00	4
TWIGGS	32 37 16	83 27 21	3	5.00	-30.00	100.00	4
TWIGGS	32 48 40	83 26 7	3	5.00	-30.00	100.00	4
TWIGGS	32 41 37	83 31 32	3	5.00	-30.00	100.00	4
UNION	34 55 19	84 2 24	3	7.00	-25.50	100.00	4
UNION	34 49 21	83 54 7	3	7.00	-25.50	100.00	4
UNION	34 44 36	84 3 17	3	7.00	-25.50	100.00	4
UPSON	32 55 4	84 25 31	3	6.00	-27.40	100.00	4
UPSON	32 47 30	84 13 14	3	6.00	-27.40	100.00	4
UPSON	32 55 4	84 12 49	3	6.00	-27.40	100.00	4
UPSON	32 55 4	84 19 54	3	6.00	-27.40	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
UPSON	32 50 40	84 19 3	3	6.00	-27.40	100.00	4
WALKER	34 46 37	85 22 22	3	5.00	-30.00	100.00	4
WALKER	34 39 33	85 7 34	3	5.00	-30.00	100.00	4
WALKER	34 50 17	85 21 19	3	5.00	-30.00	100.00	4
WALKER	34 44 24	85 14 21	3	5.00	-30.00	100.00	4
WALKER	34 47 47	85 16 48	3	5.00	-30.00	100.00	4
WALKER	34 39 16	85 26 21	3	5.00	-30.00	100.00	4
WALKER	34 55 8	85 19 56	3	5.00	-30.00	100.00	4
WALKER	34 39 16	85 21 39	3	5.00	-30.00	100.00	4
WALKER	34 39 16	85 15 24	3	5.00	-30.00	100.00	4
WALTON	33 47 58	83 48 12	4	8.00	-23.60	100.00	4
WALTON	33 44 0	83 42 29	4	8.00	-23.60	100.00	4
WALTON	33 47 41	83 39 21	4	8.00	-23.60	100.00	4
WARE	30 51 21	82 27 31	3	6.00	-22.40	100.00	3
WARE	30 39 7	82 19 51	3	6.00	-22.40	100.00	3
WARE	30 39 7	82 16 43	3	6.00	-22.40	100.00	3
WARE	30 43 32	82 15 9	3	6.00	-22.40	100.00	3
WARE	30 43 32	82 21 25	3	6.00	-22.40	100.00	3
WARE	31 13 9	82 25 24	3	6.00	-22.40	100.00	3
WARE	31 5 47	82 17 33	3	6.00	-22.40	100.00	3
WARE	31 4 19	82 30 40	3	6.00	-22.40	100.00	3
WARE	31 10 21	82 34 29	3	6.00	-22.40	100.00	3
WARE	31 20 31	82 28 32	3	6.00	-22.40	100.00	3
WARE	31 8 44	82 20 42	3	6.00	-22.40	100.00	3
WARE	31 5 38	82 23 9	3	6.00	-22.40	100.00	3
WARE	31 2 50	82 13 44	3	6.00	-22.40	100.00	3
WARE	30 58 25	82 27 31	3	6.00	-22.40	100.00	3
WARE	31 14 28	82 36 57	3	6.00	-22.40	100.00	3
WARE	31 23 36	82 32 57	3	6.00	-22.40	100.00	3
WARREN	33 26 48	82 39 53	3	5.00	-30.00	100.00	4
WARREN	33 31 34	82 40 27	3	5.00	-30.00	100.00	4
WARREN	33 19 30	82 29 10	3	5.00	-30.00	100.00	4
WARREN	33 19 59	82 43 50	3	5.00	-30.00	100.00	4
JARREN	33 26 48	82 45 54	3	5.00	-30.00	100.00	4
JARREN	33 22 40	82 37 27	3	5.00	-30.00	100.00	4
WASHINGTON	32 53 18	82 37 30	3	7.00	-25.50	100.00	4
WASHINGTON	32 56 15	82 38 1	3	7.00	-25.50	100.00	4
WASHINGTON	32 52 25	82 53 51	3	7.00	-25.50	100.00	4
WASHINGTON	32 52 43	82 45 42	3	7.00	-25.50	100.00	4
WASHINGTON	33 8 0	82 47 57	3	7.00	-25.50	100.00	4
WASHINGTON	33 0 39	82 57 8	3	7.00	-25.50	100.00	4
WASHINGTON	32 56 24	82 57 8	3	7.00	-25.50	100.00	4
WASHINGTON	33 1 23	82 42 43	3	7.00	-25.50	100.00	4
WASHINGTON	33 0 48	82 49 19	3	7.00	-25.50	100.00	4
WAYNE	31 43 25	82 1 37	3	7.00	-25.50	100.00	4
WAYNE	31 26 50	81 57 13	3	7.00	-25.50	100.00	4
WAYNE	31 35 18	81 52 25	3	7.00	-25.50	100.00	4
WAYNE	31 28 15	81 44 54	3	7.00	-25.50	100.00	4
WAYNE	31 32 50	82 1 37	3	7.00	-25.50	100.00	4
WAYNE	31 36 21	82 1 37	3	7.00	-25.50	100.00	4
WAYNE	31 26 18	81 45 57	3	7.00	-25.50	100.00	4
WEBSTER	32 3 29	84 33 34	3	5.00	-30.00	100.00	4
WEBSTER	32 7 36	84 34 44	3	5.00	-30.00	100.00	4
WEBSTER	32 3 56	84 30 2	3	5.00	-30.00	100.00	4
WEBSTER	31 59 5	84 31 15	3	5.00	-30.00	100.00	4
WEBSTER	31 59 5	84 35 8	3	5.00	-30.00	100.00	4
WHEELER	31 59 57	82 38 10	3	5.00	-30.00	100.00	4
WHEELER	32 10 11	82 45 26	3	5.00	-30.00	100.00	4
WHEELER	32 8 29	82 50 8	3	5.00	-30.00	100.00	4
WHEELER	32 14 17	82 42 28	3	5.00	-30.00	100.00	4
WHEELER	32 6 47	82 41 48	3	5.00	-30.00	100.00	4
WHEELER	32 4 34	82 44 50	3	5.00	-30.00	100.00	4
WHITE	34 35 11	83 44 44	3	7.00	-25.50	100.00	4
WHITE	34 42 42	83 44 45	3	7.00	-25.50	100.00	4
WHITFIELD	34 49 7	84 56 47	3	6.00	-27.40	100.00	4
WHITFIELD	34 46 37	85 3 3	3	6.00	-27.40	100.00	4
WHITFIELD	34 54 59	84 55 13	3	6.00	-27.40	100.00	4
WHITFIELD	34 41 46	84 58 21	3	6.00	-27.40	100.00	4
WILCOX	31 56 12	83 30 23	3	7.00	-25.50	100.00	4
WILCOX	31 56 54	83 24 7	3	7.00	-25.50	100.00	4
WILCOX	32 1 28	83 24 46	3	7.00	-25.50	100.00	4
WILCOX	31 53 54	83 17 52	3	7.00	-25.50	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
WILCOX	32 1 28	83 30 23	3	7.00	-25.50	100.00	4
WILKES	33 51 39	82 49 3	3	6.00	-27.40	100.00	4
WILKES	33 42 6	82 43 30	3	6.00	-27.40	100.00	4
WILKES	33 41 22	82 37 13	3	6.00	-27.40	100.00	4
WILKES	33 43 34	82 51 19	3	6.00	-27.40	100.00	4
WILKES	33 47 14	82 52 11	3	6.00	-27.40	100.00	4
WILKES	33 48 43	82 40 31	3	6.00	-27.40	100.00	4
WILKES	33 54 35	82 42 47	3	6.00	-27.40	100.00	4
WILKINSON	32 51 1	83 15 31	3	8.00	-23.60	100.00	4
WILKINSON	32 53 8	83 10 12	3	8.00	-23.60	100.00	4
WILKINSON	32 46 19	83 4 49	3	8.00	-23.60	100.00	4
WILKINSON	32 42 47	83 11 45	3	8.00	-23.60	100.00	4
WORTH	31 25 14	83 45 13	3	7.00	-25.50	100.00	4
WORTH	31 31 25	83 45 13	3	7.00	-25.50	100.00	4
WORTH	31 25 14	83 53 21	3	7.00	-25.50	100.00	4
WORTH	31 37 36	83 53 46	3	7.00	-25.50	100.00	4
WORTH	31 44 40	83 54 37	3	7.00	-25.50	100.00	4
WORTH	31 30 32	83 53 21	3	7.00	-25.50	100.00	4
ZONE 3	34 33 18	83 18 21	10	6.00	-27.40	100.00	4
ZONE 3	34 38 40	83 36 28	10	6.00	-27.40	100.00	4
ZONE 3	34 46 32	83 31 48	10	6.00	-27.40	100.00	4
ZONE 3	34 39 23	83 21 40	10	6.00	-27.40	100.00	4
ZONE 3	34 42 40	83 45 21	10	6.00	-27.40	100.00	4
ZONE 3	34 31 18	83 36 1	10	6.00	-27.40	100.00	4
ZONE 3	34 37 6	83 47 5	10	6.00	-27.40	100.00	4
ZONE 3	34 32 36	83 26 8	10	6.00	-27.40	100.00	4
ZONE 3	34 47 57	83 41 27	10	6.00	-27.40	100.00	4
ZONE 3	34 33 27	83 12 1	10	6.00	-27.40	100.00	4
ZONE 3	34 40 49	83 28 41	10	6.00	-27.40	100.00	4
ZONE 3	34 34 53	83 46 8	10	6.00	-27.40	100.00	4
ZONE 3	34 55 6	83 47 41	10	6.00	-27.40	100.00	4
ZONE 3	34 54 58	83 37 33	10	6.00	-27.40	100.00	4
ZONE 3	34 55 40	83 10 22	10	6.00	-27.40	100.00	4
ZONE 3	34 54 58	83 28 12	10	6.00	-27.40	100.00	4
ZONE 3	34 49 10	83 22 55	10	6.00	-27.40	100.00	4
ZONE 3	34 54 58	83 18 51	10	6.00	-27.40	100.00	4
ZONE 5 , 1, 2, & 4	33 36 7	84 13 25	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 12 33	85 17 4	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 38 43	85 23 34	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 38 39	84 27 3	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 49 17	83 59 21	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 26 37	84 55 55	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 51 24	85 12 48	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 25 0	85 19 50	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 24 35	84 27 30	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 51 24	85 26 28	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 51 18	84 6 37	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 12 33	85 4 29	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 26 16	85 5 20	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 12 26	84 48 46	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 49 17	84 14 42	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 21 45	84 40 13	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 37 7	84 48 29	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 37 41	85 6 44	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 16 7	83 53 57	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 57 60	84 36 25	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 13 25	84 7 44	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 2 33	84 17 48	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 51 24	85 0 22	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 23 24	84 48 29	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 22 58	84 53 53	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 22 42	83 48 42	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 14 0	84 28 46	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 47 30	84 33 51	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 51 30	84 45 34	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 34 28	84 4 14	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 39 55	83 58 26	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 27 54	84 28 6	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 2 25	83 58 15	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 49 47	83 54 10	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 25 4	84 11 54	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 40 2	84 46 16	20	10.00	-1.80	100.00	2

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (db/KW)	Antenna Height (ft)	Environment Type
ZONE 5 , 1, 2, & 4	33 57 0	85 3 46	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 55 47	84 50 41	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 36 21	84 27 30	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 38 1	84 43 5	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 46 45	83 40 32	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 27 9	84 6 18	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 30 16	85 7 41	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 41 12	85 3 46	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 43 38	85 11 37	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 51 18	84 18 52	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	34 49 17	84 28 46	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 31 27	83 50 33	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 57 0	85 14 14	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 18 6	85 7 41	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 18 48	84 14 29	20	10.00	-1.80	100.00	2
ZONE 5 , 1, 2, & 4	33 18 48	84 22 39	20	10.00	-1.80	100.00	2
ZONE 6	34 5 28	83 12 20	15	15.00	-13.20	100.00	4
ZONE 6	33 50 39	83 10 44	15	15.00	-13.20	100.00	4
ZONE 6	34 17 38	83 25 59	15	15.00	-13.20	100.00	4
ZONE 6	33 38 3	83 26 53	15	15.00	-13.20	100.00	4
ZONE 6	34 2 31	83 36 8	15	15.00	-13.20	100.00	4
ZONE 6	33 34 39	83 12 19	15	15.00	-13.20	100.00	4
ZONE 6	34 5 2	82 49 29	15	15.00	-13.20	100.00	4
ZONE 6	34 19 33	83 3 12	15	15.00	-13.20	100.00	4
ZONE 7	32 33 6	84 52 34	15	12.00	-17.40	100.00	4
ZONE 7	33 3 39	84 50 1	15	12.00	-17.40	100.00	4
ZONE 7	33 1 29	85 2 41	15	12.00	-17.40	100.00	4
ZONE 7	32 32 27	84 14 28	15	12.00	-17.40	100.00	4
ZONE 7	32 41 44	84 34 9	15	12.00	-17.40	100.00	4
ZONE 7	32 47 8	84 57 10	15	12.00	-17.40	100.00	4
ZONE 7	33 2 34	84 23 33	15	12.00	-17.40	100.00	4
ZONE 7	32 49 18	84 41 3	15	12.00	-17.40	100.00	4
ZONE 7	32 48 45	84 19 59	15	12.00	-17.40	100.00	4
ZONE 7	33 3 19	84 10 46	15	12.00	-17.40	100.00	4
ZONE 7	33 3 39	84 37 21	15	12.00	-17.40	100.00	4
ZONE 8	33 2 30	83 13 44	15	11.00	-18.80	100.00	4
ZONE 8	32 54 18	83 23 56	15	11.00	-18.80	100.00	4
ZONE 8	32 38 4	83 25 32	15	11.00	-18.80	100.00	4
ZONE 8	33 21 36	83 40 15	15	11.00	-18.80	100.00	4
ZONE 8	33 19 41	83 20 48	15	11.00	-18.80	100.00	4
ZONE 8	33 16 57	83 55 59	15	11.00	-18.80	100.00	4
ZONE 8	32 42 51	83 59 53	15	11.00	-18.80	100.00	4
ZONE 8	32 46 15	83 8 3	15	11.00	-18.80	100.00	4
ZONE 8	32 48 59	83 37 12	15	11.00	-18.80	100.00	4
ZONE 8	33 5 13	83 41 26	15	11.00	-18.80	100.00	4
ZONE 8	33 3 19	83 51 36	15	11.00	-18.80	100.00	4
ZONE 8	32 35 53	83 52 7	15	11.00	-18.80	100.00	4
ZONE 8	32 51 2	83 56 58	15	11.00	-18.80	100.00	4
ZONE 8	33 6 35	83 29 46	15	11.00	-18.80	100.00	4
ZONE 9	33 32 60	82 13 56	10	12.00	-17.40	100.00	4
ZONE 9	33 27 5	82 29 10	10	12.00	-17.40	100.00	4
ZONE 9	33 13 3	83 3 8	10	12.00	-17.40	100.00	4
ZONE 9	33 21 18	82 52 59	10	12.00	-17.40	100.00	4
ZONE 9	33 49 31	82 39 19	10	12.00	-17.40	100.00	4
ZONE 9	33 46 34	82 46 38	10	12.00	-17.40	100.00	4
ZONE 9	33 36 18	82 48 20	10	12.00	-17.40	100.00	4
ZONE 9	33 17 46	82 37 45	10	12.00	-17.40	100.00	4
ZONE 9	33 42 26	82 26 37	10	12.00	-17.40	100.00	4
ZONE 10	32 53 45	82 42 10	10	12.00	-17.40	100.00	4
ZONE 10	32 30 53	83 1 49	10	12.00	-17.40	100.00	4
ZONE 10	33 4 10	82 47 59	10	12.00	-17.40	100.00	4
ZONE 10	32 42 48	82 46 4	10	12.00	-17.40	100.00	4
ZONE 10	32 27 3	82 21 8	10	12.00	-17.40	100.00	4
ZONE 10	32 19 6	82 55 19	10	12.00	-17.40	100.00	4
ZONE 10	32 28 8	82 40 44	10	12.00	-17.40	100.00	4
ZONE 10	32 39 6	82 11 23	10	12.00	-17.40	100.00	4
ZONE 10	32 58 16	82 53 22	10	12.00	-17.40	100.00	4
ZONE 10	32 41 9	82 24 58	10	12.00	-17.40	100.00	4
ZONE 11	33 14 12	82 12 9	15	10.00	-20.20	100.00	4
ZONE 11	33 23 37	82 2 5	15	10.00	-20.20	100.00	4
ZONE 11	33 4 46	82 28 32	15	10.00	-20.20	100.00	4
ZONE 11	33 5 15	82 5 2	15	10.00	-20.20	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
ZONE 11	33 11 8	81 56 13	15	10.00	-20.20	100.00	4
ZONE 11	33 8 18	82 22 14	15	10.00	-20.20	100.00	4
ZONE 11	32 56 18	82 10 30	15	10.00	-20.20	100.00	4
ZONE 11	33 2 25	81 44 20	15	10.00	-20.20	100.00	4
ZONE 11	32 44 46	81 58 53	15	10.00	-20.20	100.00	4
ZONE 11	32 55 0	81 55 47	15	10.00	-20.20	100.00	4
ZONE 11	32 53 57	82 22 55	15	10.00	-20.20	100.00	4
ZONE 12	31 54 16	84 54 9	10	15.00	-13.20	100.00	4
ZONE 12	32 1 10	84 37 48	10	15.00	-13.20	100.00	4
ZONE 12	31 41 59	84 53 49	10	15.00	-13.20	100.00	4
ZONE 12	31 49 17	84 28 45	10	15.00	-13.20	100.00	4
ZONE 12	31 49 17	84 10 11	10	15.00	-13.20	100.00	4
ZONE 12	31 59 41	84 10 42	10	15.00	-13.20	100.00	4
ZONE 12	32 10 21	84 21 39	10	15.00	-13.20	100.00	4
ZONE 12	32 21 9	84 33 4	10	15.00	-13.20	100.00	4
ZONE 12	32 12 30	84 47 47	10	15.00	-13.20	100.00	4
ZONE 13	32 5 37	83 10 33	10	9.00	-21.80	100.00	4
ZONE 13	31 55 35	83 48 21	10	9.00	-21.80	100.00	4
ZONE 13	32 15 52	83 56 51	10	9.00	-21.80	100.00	4
ZONE 13	31 55 41	83 41 23	10	9.00	-21.80	100.00	4
ZONE 13	32 23 40	84 2 22	10	9.00	-21.80	100.00	4
ZONE 13	32 19 13	84 7 6	10	9.00	-21.80	100.00	4
ZONE 13	32 24 21	83 42 31	10	9.00	-21.80	100.00	4
ZONE 13	32 11 25	83 23 46	10	9.00	-21.80	100.00	4
ZONE 13	32 3 36	83 36 46	10	9.00	-21.80	100.00	4
ZONE 13	32 22 7	83 29 18	10	9.00	-21.80	100.00	4
ZONE 13	32 23 7	83 57 15	10	9.00	-21.80	100.00	4
ZONE 13	31 57 55	83 28 23	10	9.00	-21.80	100.00	4
ZONE 13	32 12 32	83 40 18	10	9.00	-21.80	100.00	4
ZONE 13	32 6 57	83 52 7	10	9.00	-21.80	100.00	4
ZONE 13	32 33 29	83 38 40	10	9.00	-21.80	100.00	4
ZONE 13	32 27 21	83 15 56	10	9.00	-21.80	100.00	4
ZONE 13	32 16 32	83 12 23	10	9.00	-21.80	100.00	4
ZONE 13	31 57 48	83 16 27	10	9.00	-21.80	100.00	4
ZONE 13	32 10 38	83 1 22	10	9.00	-21.80	100.00	4
ZONE 14	31 52 25	82 14 49	15	12.00	-17.40	100.00	4
ZONE 14	32 8 52	82 38 44	15	12.00	-17.40	100.00	4
ZONE 14	31 47 43	82 41 13	15	12.00	-17.40	100.00	4
ZONE 14	31 54 18	82 26 7	15	12.00	-17.40	100.00	4
ZONE 14	31 36 47	82 16 13	15	12.00	-17.40	100.00	4
ZONE 14	31 34 47	82 26 19	15	12.00	-17.40	100.00	4
ZONE 14	31 57 35	81 57 53	15	12.00	-17.40	100.00	4
ZONE 14	32 11 41	82 29 2	15	12.00	-17.40	100.00	4
ZONE 14	31 54 53	82 59 24	15	12.00	-17.40	100.00	4
ZONE 14	32 9 20	82 10 25	15	12.00	-17.40	100.00	4
ZONE 14	32 4 10	82 46 11	15	12.00	-17.40	100.00	4
ZONE 15	32 34 17	81 44 48	15	11.00	-18.80	100.00	4
ZONE 15	32 20 46	81 36 31	15	11.00	-18.80	100.00	4
ZONE 15	32 25 9	81 22 44	15	11.00	-18.80	100.00	4
ZONE 15	32 53 4	81 34 9	15	11.00	-18.80	100.00	4
ZONE 15	32 15 8	81 17 25	15	11.00	-18.80	100.00	4
ZONE 15	32 44 18	81 39 29	15	11.00	-18.80	100.00	4
ZONE 15	32 12 0	81 51 10	15	11.00	-18.80	100.00	4
ZONE 15	32 23 31	82 4 2	15	11.00	-18.80	100.00	4
ZONE 15	32 27 47	81 55 27	15	11.00	-18.80	100.00	4
ZONE 15	32 38 55	81 32 13	15	11.00	-18.80	100.00	4
ZONE 16	30 49 7	84 14 23	10	12.00	-17.40	100.00	4
ZONE 16	31 28 36	84 40 25	10	12.00	-17.40	100.00	4
ZONE 16	31 19 4	84 11 33	10	12.00	-17.40	100.00	4
ZONE 16	31 9 2	84 11 33	10	12.00	-17.40	100.00	4
ZONE 16	31 21 45	84 56 12	10	12.00	-17.40	100.00	4
ZONE 16	30 51 33	84 29 45	10	12.00	-17.40	100.00	4
ZONE 16	31 13 4	84 54 15	10	12.00	-17.40	100.00	4
ZONE 16	30 51 33	84 44 59	10	12.00	-17.40	100.00	4
ZONE 16	31 3 47	84 50 6	10	12.00	-17.40	100.00	4
ZONE 16	31 2 4	84 28 39	10	12.00	-17.40	100.00	4
ZONE 16	31 13 4	84 32 29	10	12.00	-17.40	100.00	4
ZONE 16	31 29 49	84 8 59	10	12.00	-17.40	100.00	4
ZONE 16	31 27 22	84 25 3	10	12.00	-17.40	100.00	4
ZONE 17	31 43 29	83 16 41	10	9.00	-21.80	100.00	4
ZONE 17	31 26 45	83 52 20	10	9.00	-21.80	100.00	4
ZONE 17	31 35 34	83 22 27	10	9.00	-21.80	100.00	4

Site Name	Site Latitude	Site Longitude	Number of Channels	Coverage (mi)	ERP (Db/KW)	Antenna Height (ft)	Environment Type
ZONE 17	31 33 30	83 51 16	10	9.00	-21.80	100.00	4
ZONE 17	31 33 35	83 36 50	10	9.00	-21.80	100.00	4
ZONE 17	31 35 24	83 11 51	10	9.00	-21.80	100.00	4
ZONE 17	31 26 45	83 42 47	10	9.00	-21.80	100.00	4
ZONE 17	31 43 4	83 8 1	10	9.00	-21.80	100.00	4
ZONE 17	31 44 18	83 32 29	10	9.00	-21.80	100.00	4
ZONE 17	31 43 49	83 27 16	10	9.00	-21.80	100.00	4
ZONE 17	31 41 0	83 42 54	10	9.00	-21.80	100.00	4
ZONE 17	31 26 30	83 31 7	10	9.00	-21.80	100.00	4
ZONE 17	31 43 24	83 53 0	10	9.00	-21.80	100.00	4
ZONE 18	32 5 16	81 33 34	15	12.00	-17.40	100.00	4
ZONE 18	31 30 49	81 57 25	15	12.00	-17.40	100.00	4
ZONE 18	31 38 48	81 16 11	15	12.00	-17.40	100.00	4
ZONE 18	32 3 50	81 12 10	15	12.00	-17.40	100.00	4
ZONE 18	31 51 55	81 27 30	15	12.00	-17.40	100.00	4
ZONE 18	31 52 9	81 42 22	15	12.00	-17.40	100.00	4
ZONE 18	31 51 55	81 12 25	15	12.00	-17.40	100.00	4
ZONE 18	31 59 4	81 2 7	15	12.00	-17.40	100.00	4
ZONE 18	31 37 8	81 36 43	15	12.00	-17.40	100.00	4
ZONE 18	31 27 28	81 23 43	15	12.00	-17.40	100.00	4
ZONE 18	31 29 51	81 48 2	15	12.00	-17.40	100.00	4
ZONE 18	31 41 32	81 57 25	15	12.00	-17.40	100.00	4
ZONE 19	30 44 30	83 15 31	11	10.00	-20.20	100.00	4
ZONE 19	30 46 32	83 27 49	11	10.00	-20.20	100.00	4
ZONE 19	30 46 51	83 40 8	11	10.00	-20.20	100.00	4
ZONE 19	30 56 22	83 7 42	11	10.00	-20.20	100.00	4
ZONE 19	31 14 26	83 11 17	11	10.00	-20.20	100.00	4
ZONE 19	30 47 36	83 50 35	11	10.00	-20.20	100.00	4
ZONE 19	31 11 52	83 39 39	11	10.00	-20.20	100.00	4
ZONE 19	31 12 30	83 52 20	11	10.00	-20.20	100.00	4
ZONE 19	31 20 25	83 15 31	11	10.00	-20.20	100.00	4
ZONE 19	30 59 41	83 58 18	11	10.00	-20.20	100.00	4
ZONE 19	31 0 6	83 45 7	11	10.00	-20.20	100.00	4
ZONE 19	31 0 6	83 32 49	11	10.00	-20.20	100.00	4
ZONE 19	31 0 6	83 18 16	11	10.00	-20.20	100.00	4
ZONE 19	31 11 52	83 28 21	11	10.00	-20.20	100.00	4
ZONE 19	31 5 34	83 6 42	11	10.00	-20.20	100.00	4
ZONE 19	30 47 55	83 56 41	11	10.00	-20.20	100.00	4
ZONE 20	31 3 17	82 18 45	11	10.00	-20.20	100.00	4
ZONE 20	31 32 29	82 44 13	11	10.00	-20.20	100.00	4
ZONE 20	31 39 49	82 52 57	11	10.00	-20.20	100.00	4
ZONE 20	31 10 28	82 28 12	11	10.00	-20.20	100.00	4
ZONE 20	30 57 3	82 49 18	11	10.00	-20.20	100.00	4
ZONE 20	30 43 19	82 33 16	11	10.00	-20.20	100.00	4
ZONE 20	30 44 15	82 59 16	11	10.00	-20.20	100.00	4
ZONE 20	31 27 11	82 59 8	11	10.00	-20.20	100.00	4
ZONE 20	31 9 32	82 49 18	11	10.00	-20.20	100.00	4
ZONE 20	30 41 7	82 18 1	11	10.00	-20.20	100.00	4
ZONE 20	30 44 15	82 46 11	11	10.00	-20.20	100.00	4
ZONE 20	31 20 56	82 44 24	11	10.00	-20.20	100.00	4
ZONE 20	31 16 15	82 54 12	11	10.00	-20.20	100.00	4
ZONE 20	31 20 37	82 33 29	11	10.00	-20.20	100.00	4
ZONE 20	31 7 2	82 38 47	11	10.00	-20.20	100.00	4
ZONE 20	30 55 57	82 33 53	11	10.00	-20.20	100.00	4
ZONE 21	31 3 13	82 1 30	7	11.00	-13.80	100.00	3
ZONE 21	31 12 39	81 28 4	7	11.00	-13.80	100.00	3
ZONE 21	31 13 14	82 3 53	7	11.00	-13.80	100.00	3
ZONE 21	30 54 13	82 16 24	7	11.00	-13.80	100.00	3
ZONE 21	30 44 11	82 0 50	7	11.00	-13.80	100.00	3
ZONE 21	31 17 40	81 34 14	7	11.00	-13.80	100.00	3
ZONE 21	30 50 32	81 34 14	7	11.00	-13.80	100.00	3
ZONE 21	30 55 6	81 49 11	7	11.00	-13.80	100.00	3
ZONE 21	31 0 51	81 34 14	7	11.00	-13.80	100.00	3
ZONE 21	31 12 39	81 49 39	7	11.00	-13.80	100.00	3
ZONE 21	30 30 37	82 4 36	7	11.00	-13.80	100.00	3
ZONE 21	31 22 32	82 13 48	7	11.00	-13.80	100.00	3

GEORGIA RADIO ALLOCATION ZONES

<u>ZONE</u>	<u>COUNTIES</u>
1	Dade, Catoosa, Walker, Whitfield, Murray, Chatoga, Gordon, Floyd, Bartow
2	Fannin, Union, Gilmer, Lumpkin, Pickens, Dawson, Hall, Cherokee, Forsyth
3	Towns, Rabun, White, Habersham, Stephens
4	Polk, Haralson, Paulding, Carroll, Heard, Coweta
5	Cobb, Gwinnett, Douglas, Fulton, DeKalb, Rockdale, Walton, Clayton, Henry, Newton, Fayette, Spalding
6	Banks, Franklin, Hart, Jackson, Madison, Elbert, Barrow, Clarke, Oglethorpe, Oconee, Greene, Morgan
7	Troup, Meriwether, Pike, Lamar, Upson, Harris, Talbot, Muscogee, Taylor
8	Butts, Jasper, Putnam, Monroe, Jones, Bibb, Baldwin, Crawford, Peach, Wilkinson, Twiggs
9	Wilkes, Lincoln, Taliaferro, Warren, McDuffie, Columbia, Glascock, Hancock
10	Washington, Johnson, Laurens, Emanuel, Treutlen
11	Richmond, Jefferson, Burke, Jenkins

<u>ZONE</u>	<u>COUNTIES</u>
12	Chattahoochee, Marion, Schley, Stewart, Webster, Sumter, Quitman, Clay, Randolf, Terrell, Lee
13	Macon, Houston, Bleckley, Dooly, Pulaski, Dodge, Crisp, Wilcox
14	Telfair, Wheeler, Toombs, Montgomery, Jeff Davis, Tattnall, Appling, Bacon
15	Screven, Candler, Bulloch, Effingham, Evans
16	Calhoun, Dougherty, Early, Baker, Miller, Mitchell, Seminole, Decatur, Grady
17	Worth, Turner, Ben Hill, Tift, Irwin
18	Bryan, Chatham, Liberty, Long, Wayne, McIntosh
19	Colquitt, Cook, Berrien, Lanier, Thomas, Brooks, Lowndes
20	Coffee, Atkinson, Ware, Clinch, Echols
21	Pierce, Brantley, Glynn, Charlton, Camden

CHANNEL ASSIGNMENTS

 * F.C.C. Channel Assignments *

Channel Number	601 Mobile Frequency 821.0125 Mz	Base Frequency 866.0125 Mz	Mutual aid
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	UNION
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	BLECKLEY
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	TIFT
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	QUITMAN
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	MILLER
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	PIKE
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	SCHLEY
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	GLYNN
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	DE KALB
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	CARROLL
Channel Number	602 Mobile Frequency 821.0375 Mz	Base Frequency 866.0375 Mz	ZONE 11
Channel Number	603 Mobile Frequency 821.0500 Mz	Base Frequency 866.0500 Mz	MURRAY
Channel Number	603 Mobile Frequency 821.0500 Mz	Base Frequency 866.0500 Mz	DOUGHERTY
Channel Number	603 Mobile Frequency 821.0500 Mz	Base Frequency 866.0500 Mz	PEACH
Channel Number	603 Mobile Frequency 821.0500 Mz	Base Frequency 866.0500 Mz	ZONE 6
Channel Number	603 Mobile Frequency 821.0500 Mz	Base Frequency 866.0500 Mz	ZONE 14
Channel Number	604 Mobile Frequency 821.0625 Mz	Base Frequency 866.0625 Mz	ATLANTA
Channel Number	604 Mobile Frequency 821.0625 Mz	Base Frequency 866.0625 Mz	DAWSON
Channel Number	604 Mobile Frequency 821.0625 Mz	Base Frequency 866.0625 Mz	PULASKI
Channel Number	604 Mobile Frequency 821.0625 Mz	Base Frequency 866.0625 Mz	CAMDEN
Channel Number	604 Mobile Frequency 821.0625 Mz	Base Frequency 866.0625 Mz	STEWART
Channel Number	604 Mobile Frequency 821.0625 Mz	Base Frequency 866.0625 Mz	MONROE
Channel Number	604 Mobile Frequency 821.0625 Mz	Base Frequency 866.0625 Mz	ZONE 11
Channel Number	605 Mobile Frequency 821.0750 Mz	Base Frequency 866.0750 Mz	WHITE
Channel Number	605 Mobile Frequency 821.0750 Mz	Base Frequency 866.0750 Mz	CATOOSA
Channel Number	605 Mobile Frequency 821.0750 Mz	Base Frequency 866.0750 Mz	CALHOUN
Channel Number	605 Mobile Frequency 821.0750 Mz	Base Frequency 866.0750 Mz	HART
Channel Number	605 Mobile Frequency 821.0750 Mz	Base Frequency 866.0750 Mz	TALIAFERRO
Channel Number	605 Mobile Frequency 821.0750 Mz	Base Frequency 866.0750 Mz	NEWTON
Channel Number	605 Mobile Frequency 821.0750 Mz	Base Frequency 866.0750 Mz	COWETA
Channel Number	605 Mobile Frequency 821.0750 Mz	Base Frequency 866.0750 Mz	ZONE 14
Channel Number	606 Mobile Frequency 821.0875 Mz	Base Frequency 866.0875 Mz	ATLANTA
Channel Number	606 Mobile Frequency 821.0875 Mz	Base Frequency 866.0875 Mz	CLARKE
Channel Number	606 Mobile Frequency 821.0875 Mz	Base Frequency 866.0875 Mz	MARION
Channel Number	606 Mobile Frequency 821.0875 Mz	Base Frequency 866.0875 Mz	GILMER
Channel Number	606 Mobile Frequency 821.0875 Mz	Base Frequency 866.0875 Mz	COLQUITT
Channel Number	606 Mobile Frequency 821.0875 Mz	Base Frequency 866.0875 Mz	MCINTOSH
Channel Number	606 Mobile Frequency 821.0875 Mz	Base Frequency 866.0875 Mz	ZONE 11
Channel Number	607 Mobile Frequency 821.1000 Mz	Base Frequency 866.1000 Mz	TOWNS
Channel Number	607 Mobile Frequency 821.1000 Mz	Base Frequency 866.1000 Mz	BACON
Channel Number	607 Mobile Frequency 821.1000 Mz	Base Frequency 866.1000 Mz	DECATUR
Channel Number	607 Mobile Frequency 821.1000 Mz	Base Frequency 866.1000 Mz	FORSYTH
Channel Number	607 Mobile Frequency 821.1000 Mz	Base Frequency 866.1000 Mz	ELBERT
Channel Number	607 Mobile Frequency 821.1000 Mz	Base Frequency 866.1000 Mz	ZONE 8